



TROY LIGHTING  
TROY LIGHTING  
TROY LIGHTING  
TROY LIGHTING  
TROY LIGHTING

EST. 1963

INTERIOR

# CONTENTS

ACE	28	DRIFT	284	PIKE PLACE	211	ONYX	373
ACME	159	EMBARCADERO	239	QUANTUM	74	PALADIUM	367
ADIRONDACK	269	EPIC	14	RALEIGH	188	PRISM	374
ALCHEMY	85	FACTION	97	RELATIVITY	150	SEVILLE	370
ANDROMEDA	62	FAHRENHEIT	73	REVOLUTION	275	TATTOO	372
APOGEE	7	FLATIRON	224	RISE AND SHINE	204	UMBRIA	372
APOLLO	17	FLY BOY	135	SANCTUARY	289	<b>BATH</b>	
ARCADIA	311	GOTHAM	166	SAUSALITO	301	ARCADIA	390
ATLAS	172	HANGER 31	139	SIENNA	353	BAMBOO	389
ATOMIC	55	HIDEAWAY	103	SIERRA	293	BLINK	385
AUDIOPHILE	142	IDLEWILD	131	SILHOUETTE	51	CITIZEN	380
BAMBOO	324	IMPULSE	82	SILVERLAKE	141	EMBARCADERO	384
BASTILLE	279	IMPRESSION	58	STIX	243	ESCAPE	387
BENNINGTON	121	INSIGHT	108	STREET ART	181	EXPRESSION	376
BERLIN	123	JACKSON	316	TIDES	31	FACTION	379
BISTRO	357	JAVELIN	11	TOLEDO	162	HIDEAWAY	378
BLINK	105	JULIETTE	306	TRAPEZE	66	MENLO PARK	381
BORDEAUX	342	KOKORO	92	TSUKI	95	MERCHANTILE	382
BRADFORD	309	LIBRARY	101	UNI	88	ROXBURY	388
BREWERY	198	LINK	265	UNION SQUARE	146	SPLASH	377
BROOKLYN	227	LYON	251	VILLAGE TAVERN	207	VAULT	383
BUXTON	200	MADDOX	313	VINEYARD	220	WHITMAN	386
BYRON	335	MAI TAI	260	VIOLA	350	WINK	375
CALLIOPE	69	MCCOY	169	WHITMAN	298	<b>LAMPS</b>	391
CANARY WHARF	184	MENLO PARK	176	<b>CEILING/FLUSH</b>		<b>INDEX</b>	392
CAROUSEL	327	MERCHANT STREET	235	ACME	364		
CITIZEN	77	MERCURY	332	ALLURE	362		
CONDUIT	153	MERITAGE	339	PIKE PLACE	365		
CONUNDRUM	61	MITCHEL FIELD	127	REESE	363		
COPPER MOUNTAIN	194	MORGAN	320	<b>WALL LUMINAIRES</b>			
CROSBY	115	MURPHY	217	ALMONT	371		
CUBIST	34	NETWORK	2	CHIME	366		
CYRANO	256	ODYSSEY	23	CHRYSALIS	366		
DELACROIX	346	ORIGAMI	47	CORSICA	373		
DISCUS	111	OUTERBANKS	231	CRAWFORD	371		
DISTRICT	120	PALISADE	247	FAULKNER	368		
DOMAIN	42	PEARL STREET	192	LA BREA	369		
DRAGON FLY	38	PIER 39	246	OJAI	373		

The wattage listed for each fixture is the maximum safe capacity. Recent government actions have restricted the availability of standard incandescent lamps. Decorative incandescent as well as (medium base) halogen, LED and CFL will continue to be available alternatives.



TROY LIGHTING





## Bench Made

Since 1963, Troy Lighting has transcended time and workmanship of authentic and handcrafted artistry into the creation of all of its products, producing only the highest quality fixtures in both design and structure. Advances in manufacturing are constantly incorporated, but the idea of made on the bench technique and the substance of individual creativity have never been abandoned. It is this dedication to excellence that make Troy the ideal option for those who value superior craftsmanship.

Troy's propensity for livable art is present in every fixture we produce. Style, beauty, and originality are vital to our work, as is function and performance. In our eyes, art is useful, and the more integrated it is into one's lifestyle and surroundings, the more successful the design.

Our inspiration comes from the world around us, and our artisans and designers are among the best at translating fresh ideas into each fixture.

Whether it's the way we bend and rivet iron by hand or the subtle change in depth and size of a metal band for added perspective, every part of our fixtures is carefully tended, down to the smallest element. Our unwavering attention to detail is how we're able to create large scale fixtures for commercial applications as well as a wide range of fixtures for residential applications without ever compromising product-integrity.

That is why we are welcomed everywhere from the finest venues of the hospitality industry to the most exclusive homes.

We invite you to enter our world of unlimited style and bench-crafted authenticity. Explore and experience our latest creations and iconic classics for yourself — we know you will appreciate the Troy Lighting difference.





# NETWORK

## **F6077**


49" l 43¾" w 44½" h 93½" max ht

mm: 1244 l 1111 w 1130 h 2375 max ht

Canopy: 7" w ¾" d

mm: 178 w 19 d

36 - 20W G9 base included



### **GLASSWARE**

Frosted Clear Glass Ball

### **METALWORK**

Hand-worked Iron

### **FINISH**

Forest Bronze and Polished Chrome

### **SUSPENSION**

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### **OPTIONAL LAMP INFORMATION**

LED G9 Lamps available (see page 391)

# NETWORK

## F6076

40½" l 35¾" w 25½" h 74¼" max ht  
mm: 1029 l 908 w 644 h 1886 max ht

Canopy: 7" w ¾" d  
mm: 178 w 19 d

24 - 20W G9 base included



## C6070

18½" l 15" w 9" h  
mm: 470 l 381 w 229 h

Canopy: 7" w ¾" d  
mm: 178 w 19 d

6 - 20W G9 base included



# NETWORK

## F6074

30½" l 26¾" w 27½" h 76¼" max ht  
mm: 772 l 680 w 696 h 1937 max ht

Canopy: 5" w ¾" d  
mm: 127 w 19 d

15 - 20W G9 base included



## B6072

9½" w 12" h 4½" p 6" tcd  
mm: 239 w 305 h 115 p 152 tcd

Backplate: 4½" w 6" h ½" d  
mm: 114 w 152 h 13 d

2 - 20W G9 base included

### GLASSWARE

Frosted Clear Glass Ball

### METALWORK

Hand-worked Iron

### FINISH

Forest Bronze and Polished Chrome

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LED G9 Lamps available (see page 391)

## F6073

11" l 4¼" w 14" h 63" max ht  
mm: 277 l 108 w 355 h 1600 max ht

Canopy: 5" w ¾" d  
mm: 127 w 19 d

2 - 20W G9 base included



# NETWORK

## F6075

45 $\frac{3}{4}$ " l 15 $\frac{1}{4}$ " w 23 $\frac{3}{4}$ " h 72 $\frac{3}{4}$ " max ht  
mm: 1162 l 387 w 604 h 1848 max ht

Canopy: 7" w  $\frac{3}{4}$ " d  
mm: 178 w 19 d

12 - 20W G9 base included



### GLASSWARE

Frosted Clear Glass Ball

### METALWORK

Hand-worked Iron

### FINISH

Forest Bronze and Polished Chrome

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LED G9 Lamps available (see page 391)



# APOGEE

## F5514

40" w 30 $\frac{3}{4}$ " h 79 $\frac{1}{2}$ " max ht  
mm: 1016 w 781 h 2019 max ht

Canopy: 7" w 3 $\frac{3}{4}$ " d  
mm: 178 w 19 d

1 - 12W LED included  
840lm 2700K  $\pm$ 50K 90CRI

120V incandescent dimming





# APOGEE

## **F5513**

30" w 23" h 71¼" max ht  
mm: 762 w 584 h 1822 max ht

Canopy: 7" w ¾" d  
mm: 178 w 19 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming



### **GLASSWARE**

Frosted Clear Glass

### **METALWORK**

Hand-worked Iron

### **FINISH**

Bronze with Gold Leaf and Polished Stainless

### **SUSPENSION**

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

# APOGEE

## F5511

24" w 18½" h 67½" max ht  
mm: 610 w 470 h 1708 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming



### GLASSWARE

Frosted Clear Glass

### METALWORK

Hand-worked Iron

### FINISH

Bronze with Gold Leaf and Polished Stainless

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457





# JAVELIN


## F6148

52½" w 51" h 100¼" max ht  
mm: 1333 d 1296 h 2547 max ht

Canopy: 8" w ¾" d  
mm: 203 w 19 d

8 - 60W med base

Shown with optional  
Early Electric Lamps



### OPTIONAL LAMP INFORMATION

- LB-60-T10-12 Twelve-pack 60W med base Early Electric Lamps
- LB-40-T10-12 Twelve-pack 40W med base Early Electric Lamps
- LB-6W-5.5-12 Twelve-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V

# JAVELIN

## F6146

42" w 41¼" h 90" max ht  
mm: 1066 w 1048 h 2286 max ht

Canopy: 7" w ¾" d  
mm: 178 w 19 d

6 - 60W cand base

Shown with optional  
Early Electric Lamps


## F6143

8" w 21" h 70" max ht  
mm: 203 w 534 h 1778 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

1 - 60W cand base

Shown with optional  
Early Electric Lamps



### METALWORK

Hand-worked Iron

### FINISH

Bronze and Polished Stainless

### SUSPENSION

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps

180lm 2200K 120V

## B6141

8" w 15¾" h 3½" p 6¾" tcd  
mm: 203 w 400 h 89 p 172 tcd

Canopy: 7¼" w 14¾" h ½" d  
mm: 185 w 375 h 13 d

1 - 60W cand base

Shown with optional  
Early Electric Lamps







# EPIC

## F5327

30" w 42" h  
mm: 762 w 1067 h

Canopy: 6" w 3/4" d  
mm: 152 w 19 d

8 - 40W G9 included



### GLASSWARE

Plated Topaz

### METALWORK

Hand-worked Iron with  
Polished Chrome Detail

### FINISH

Forged Iron

### SUSPENSION

10' Aircraft Cable

### OPTIONAL LAMP INFORMATION

LED G9 Lamps available (see page 391)



## B5321

10" w 16" h 6 1/2" p 7 1/4" tcd  
mm: 254 w 406 h 165 p 184 tcd

Backplate: 8 1/4" w 10 3/4" h 1/2" d  
mm: 210 w 273 h 13 d

2 - 40W G9 included


# EPIC

## F5326

24" w 33¾" h  
mm: 610 w 857 h

Canopy: 5¼" w ¾" h  
mm: 133 w 19 h

6 - 40W G9 included



### GLASSWARE

Plated Topaz

### METALWORK

Hand-worked Iron with  
Polished Chrome Detail

### FINISH

Forged Iron

### SUSPENSION

10' Aircraft Cable

### OPTIONAL LAMP INFORMATION

LED G9 Lamps available (see page 391)

## F5325

18" w 25¼" h  
mm: 457 w 641 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

4 - 40W G9 included









# APOLLO

## F5908

49¾" l 12½" w 17½" h 26" min ht 124" max ht  
mm: 1260 l 318 w 445 h 661 min ht 3150 max ht

Canopy: 26" l 5" w ¾" d  
mm: 660" l 127 w 19 d

12 - 60W cand base



### GLASSWARE

Plated Smoked Glass with Clear Glass Rods

### METALWORK

Hand-worked Iron

### FINISH

Dark Bronze and Polished Chrome

### SUSPENSION

10' Aircraft Cable



# APOLLO

## F5907


34½" w 14½" h 25" min ht 121" max ht  
mm: 873 w 369 h 635 min ht 3074 max ht

Canopy: 6¼" w ¾" d  
mm: 159 w 19 d

16 - 60W cand base

### SUSPENSION

10" Aircraft Cable



## B5902

8" w 14" h 5½" p 7" tcd  
mm: 203 w 136 p 178 tcd

Backplate: 6½" w 10¾" h ¾" d  
mm: 165" w 270 h 19 d

2 - 60W cand base



### GLASSWARE

Plated Smoked Glass with Clear Glass Rods

### METALWORK

Hand-worked Iron

### FINISH

Dark Bronze and Polished Chrome

### SUSPENSION

10' Aircraft Cable


# APOLLO

## F5906

26½" w 14½" h 25" min ht 125" max ht  
mm: 670 w 369 h 635 min ht 3175 max ht

Canopy: 6¼" w ¾" d  
mm: 159 w 19 d

8 - 60W cand base



## F5904

10½" w 16" h 22¾" min ht 64¾" max ht  
264 w 407 h 578 min ht 1645 max ht

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

2 - 60W cand base

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18" mm: 1-152, 2-305, 1-457

# APOLLO

## F5905

20½" w 14½" h 26" min ht 125" max ht  
mm: 518 w 369 h 661 min ht 3175 max ht

Canopy: 6¼" w ¾" d  
mm: 159 w 19 d

8 - 60W cand base



## C5900

14½" w 11" h  
mm: 365 w 279 h

Canopy: 8¾" l 8¾" w ¾" d  
mm: 219 l 219 w 19 d

4 - 60W cand base



### GLASSWARE

Plated Smoked Glass with Clear Glass Rods

### METALWORK

Hand-worked Iron

### FINISH

Dark Bronze and Polished Chrome

### SUSPENSION

10' Aircraft Cable







# ODYSSEY

## F4298

47" w 54½" h 103¾" max ht  
mm: 1194 w 1384 h 2635 max ht

Canopy: 7" w ¾" d  
mm: 178 w 19 d

9 - 60W med base

Shown with optional 60W  
Early Electric Lamps





# ODYSSEY

## F4294

9" w 12½" h  
mm: 229 w 318 h

Canopy: 6" w ¾" d  
mm: 152 w 19 d

Includes 10' fabric-covered cord

1 - 60W med base

Shown with optional 60W  
LB-60-T10 Early Electric Lamp



## F4297

35½" w 38½" h 87¾" max ht  
mm: 902 w 978 h 2229 max ht

Canopy: 7" w ¾" d  
mm: 178 w 19 d

5 - 60W med base

Shown with optional 60W  
Early Electric Lamps



### GLASSWARE

Plated Smoked

### METALWORK

Hand-worked Wrought Iron

### FINISH

Carbide Black and Polished Nickel

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-60-T10-12 Twelve-pack 60W med base base Early Electric Lamps

LB-6W-5.5-12 Twelve-pack 6W med base base Early Electric LED Lamps  
400lm 2200K 120V

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V

# ODYSSEY

## F4296

29" w 34½" h 83¾" max ht  
mm: 737 w 876 h 2127 max ht

Canopy: 7" w ¾" d  
mm: 178 w 19 d

4 - 60W med base

Shown with optional 60W  
LB-60-T10 Early Electric Lamps



## B4291

7" w 15¾" h 9" p 3¾" tcd  
mm: 178 w 400 h 229 p 95 tcd

Backplate: 5" w 7¼" h ¾" d  
mm: 127 w 184 h 19 d

1 - 60W med base

Shown with optional 60W  
LB-60 Early Electric Lamp



## F4295

24" w 29" h 78¼" max ht  
mm: 610 w 737 h 1988 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

4 - 60W med base

Shown with optional 60W  
LB-60 Early Electric Lamps

# ODYSSEY

## F4299

44" l 9" w 33" h 82¼" max ht  
mm: 1118 l 229 w 838 h 2089 max ht

Canopy: 7" w ¾" d  
mm: 178 w 19 d

3 - 60W med base

Shown with optional 60W  
LB-60-T10 Early Electric Lamps

## F4293

7" w 10¾" h  
mm: 178 w 273 h

Canopy: 6" w ¾" d  
mm: 152 w 19 d

Includes 10' fabric-covered cord

1 - 60W med base

Shown with optional 60W  
LB-60 Early Electric Lamp



### GLASSWARE

Plated Smoked

### METALWORK

Hand-worked Wrought Iron

### FINISH

Carbide Black and Polished Nickel

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-60-T10-12 Twelve-pack 60W med base base Early Electric Lamps

LB-6W-5.5-12 Twelve-pack 6W med base base Early Electric LED Lamps  
400lm 2200K 120V

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V

# ACE

## F5307

49½" w 14¼" h 60" max ht  
mm: 1257 w 362 h 1524 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

4 - 40W G9 included



## B5301

5¼" w 9" h 6¼" p 4½" tcd  
mm: 133 w 229 h 159 p 114 tcd

Backplate: 5¼" w 9" h ¾" d  
mm: 133 w 229 h 19 d

1 - 40W G9 included



# ACE

## F5306

50" w 10¼" h 54½" max ht  
mm: 1270 w 260 h 1384 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

10 - 40W G9 included



### GLASSWARE

Gloss Opal

### METALWORK

Hand-worked Iron

### FINISH

Textured Bronze and Brushed Brass

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LED G9 Lamps available (see page 391)

# ACE

## F5303

27<sup>3</sup>/<sub>4</sub>" w 6<sup>1</sup>/<sub>2</sub>" h 52<sup>3</sup>/<sub>4</sub>" max ht  
mm: 705 w 165 h 1340 max ht

Canopy: 6" w 3<sup>1</sup>/<sub>4</sub>" d  
mm: 152 w 19 d

6 - 40W G9 included



## F5304

37<sup>3</sup>/<sub>4</sub>" w 9" h 54<sup>1</sup>/<sub>4</sub>" max ht  
mm: 959 w 229 h 1378 max ht

Canopy: 6" w 3<sup>1</sup>/<sub>4</sub>" d  
mm: 152 w 19 d

8 - 40W G9 included



### GLASSWARE

Gloss Opal

### METALWORK

Hand-worked Iron

### FINISH

Textured Bronze and Brushed Brass

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LED G9 Lamps available (see page 391)





# TIDES

## F5648

60" w 8½" h 57½" max ht  
mm: 1524 w 216 h 1461 max ht

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

1 - 100W med base  
G40 included



## B5641

8½" w 11½" h 3¾" p 2½" tcd  
mm: 216 w 292 h 95 p 64 tcd

Backplate: 7" w 11½" h ½" d  
mm: 178 w 292 h 13 d

1 - 60W cand base





# TIDES

## F5646

48" w 7¼" h 56¼" max ht  
mm: 1219 w 184 h 1429 max ht  
Canopy: 5½" w ¾" d  
mm: 140 w 19 d  
1 - 60W med base G25 included



## F5644

36" w 7¼" h 56¼" max ht  
mm: 914 w 184 h 1429 max ht  
Canopy: 5½" w ¾" d  
mm: 140 w 19 d  
1 - 60W med base G25 included



### METALWORK

Hand-worked Iron

### FINISH

Textured White

### SUSPENSION

Includes 4 stems with  
hang-straight canopy  
1-6", 2-12", 1-18"  
mm: 1-152, 2-305, 1-457



# CUBIST

## F6086

25½" l 21¼" w 39¾" h 88¾" max ht  
mm: 648 l 540 w 1010 h 2254 max ht

Canopy: 7" l 7" w ¾" d  
mm: 178 l 178 w 19 d

1 - 60W med base



## B6081

9½" w 13½" h 5¾" p 6¾" tcd  
mm: 241 w 343 h 146 p 171 tcd

Backplate: 4¼" w 5¼" h ¾" d  
mm: 108 w 133 h 19 w

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming

### METALWORK

Hand-worked Iron

### FINISH

Bronze with Gold Leaf and Polished Stainless

### GLASSWARE

White Acrylic

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457





# CUBIST

## F6085

21 $\frac{3}{4}$ " l 18" w 33 $\frac{3}{4}$ " h 82 $\frac{3}{4}$ " max ht  
mm: 549 l 457 w 858 h 2102 max ht

Canopy: 6" l 6" w  $\frac{3}{4}$ " d  
mm: 152 l 152 w 19 d

1 - 60W med base



## C6080

19" l 17 $\frac{1}{2}$ " w 10 $\frac{1}{2}$ " max ht  
mm: 483 l 445 w 267 max ht

Canopy: 7 $\frac{1}{4}$ " l 7 $\frac{1}{4}$ " w 1" d  
mm: 184 l 184 w 25 d

1 - 12W LED included  
840 lm 2700K  $\pm$ 50K 90CRI

120V incandescent dimming

### METALWORK

Hand-worked Iron

### FINISH

Bronze with Gold Leaf and Polished Stainless

### GLASSWARE

White Acrylic

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457







# DRAGONFLY

## **F5278**

72" w 51" h 72¼" max ht  
mm: 1829 w 1295 h 1835 max ht

Canopy: 8" w ¾" d  
mm: 203 w 19 d

12 - 60W cand base

Shown with optional 40W  
LB-40 Early Electric lamps



### **METALWORK**

Hand-crafted Iron with Aluminum

### **FINISH**

Bronze with Satin Leaf

### **SUSPENSION**

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457

### **OPTIONAL LAMP INFORMATION**

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180lm 2200K 120V

# DRAGONFLY

## F5276

44" w 31¼" h 80" max ht  
mm: 1118 w 794 h 2032 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

8 - 60W cand base

Shown with optional 40W  
LB-40 Early Electric Lamps

## B5271

4½" w 41½" h 3"p 20¾" tcd ADA  
mm: 114 w 1054 h 76 p 527 tcd

Backplate: 4½" w ¾" d  
mm: 114 w 19 d

1 - 60W cand base

Shown with optional 40W  
LB-40 Early Electric Lamps



# DRAGONFLY


## F5277

60" w 42 $\frac{3}{4}$ " h 70" max ht  
mm: 1524 w 1086 h 1778 max ht

Canopy: 7" w  $\frac{3}{4}$ " d  
mm: 178 w 19 d

10 - 60W cand base

Shown with optional 40W  
LB-40 Early Electric lamps



### METALWORK

Hand-crafted Iron with Aluminum

### FINISH

Bronze with Satin Leaf

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180lm 2200K 120V







# DOMAIN

## F5598

30<sup>3</sup>/<sub>4</sub>" w 50<sup>3</sup>/<sub>4</sub>" h 21<sup>1</sup>/<sub>2</sub>" d  
mm: 781 w 1289 h 546 d

Canopy: 5<sup>1</sup>/<sub>2</sub>" w 3<sup>3</sup>/<sub>4</sub>" d  
mm: 140 w 19 d

8 - 60W cand base



### GLASSWARE

Plated Topaz Glass

### METALWORK

Hand-worked Iron

### FINISH

Forged Iron with Polished Chrome Detail

### STEM-TO-CHAIN SUSPENSION

8<sup>1</sup>/<sub>2</sub>" / 216 mm stem not included in measurements.

Use of stem is optional.

# DOMAIN

## F5596

23" w 38¼" h 16¾" d  
mm: 584 w 972 h 425 d

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

6 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

8½" / 216 mm stem not included in measurements.  
Use of stem is optional.





# DOMAIN

## F5599

30<sup>3</sup>/<sub>4</sub>" w 27<sup>1</sup>/<sub>2</sub>" h 24<sup>3</sup>/<sub>4</sub>" d  
mm: 781 w 699 h 626 d

Canopy: 5<sup>1</sup>/<sub>2</sub>" w 3<sup>3</sup>/<sub>4</sub>" d  
mm: 140 w 119 d

8 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

6" / 153 mm stem not included in measurements.  
Use of stem is optional.



### GLASSWARE

Plated Topaz Glass

### METALWORK

Hand-worked Iron

### FINISH

Forged Iron with Polished Chrome Detail

# DOMAIN

## F5594

16<sup>3</sup>/<sub>4</sub>" w 29<sup>3</sup>/<sub>4</sub>" h 12" d  
mm: 425 w 756 h 305 d

Canopy: 5<sup>1</sup>/<sub>2</sub>" w 3<sup>3</sup>/<sub>4</sub>" d  
mm: 140 w 19 d

4 - 60W cand base

Shown with optional  
Early Electric Lamps



## B5591

9" w 15" h 4<sup>1</sup>/<sub>2</sub>" p 7<sup>3</sup>/<sub>4</sub>" tcd  
mm: 229 w 381 h 114 p 197 tcd

Backplate: 5<sup>1</sup>/<sub>4</sub>" w 10" h 3<sup>3</sup>/<sub>4</sub>" d  
mm: 133 w 254 h 19 d

1 - 60W cand base

### GLASSWARE

Plated Topaz Glass

### METALWORK

Hand-worked Iron

### FINISH

Forged Iron with Polished Chrome Detail

### STEM-TO-CHAIN SUSPENSION

8<sup>1</sup>/<sub>2</sub>" / 216 mm stem not included in  
measurements. Use of stem is optional.

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base  
Early Electric Lamps

LB-3W-12 Twelve-pack 3W med base  
Early Electric LED Lamps  
180 lm 2200K 120V







# ORIGAMI

**F5525 BRONZE WITH GOLD LEAF**

**F5535 GRAPHITE WITH SILVER LEAF** (SHOWN)

21 $\frac{3}{4}$ " w 45 $\frac{1}{2}$ " h 12" d 93 $\frac{3}{4}$ " max ht

mm: 552 w 1156 h 305 d 2381 max ht

Canopy: 8" w  $\frac{3}{4}$ " d

mm: 203 w 19 d

1 - 12W LED included

840lm 2700K  $\pm$ 50K 90CRI

120V incandescent dimming



# ORIGAMI



**B5521 BRONZE WITH GOLD LEAF**

**B5531 GRAPHITE WITH SILVER LEAF (SHOWN)**

9¼" w 14½" h 4¾" p 8½" tcd  
mm: 235 w 368 h 121 p 216 tcd

Backplate: 7¼" w 12" h ¾" d  
mm: 184 w 305 h 19 d

1 - 4W G9 LED included  
360lm 3000K ±50K 90CRI

120V incandescent dimming

**GLASSWARE**

Frosted Clear Glass

**METALWORK**

Hand-worked Iron

**FINISH**

Bronze with Gold Leaf

Graphite with Silver Leaf

**SUSPENSION**

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

**REPLACEMENT LAMP INFORMATION**

BLB-4W-G9-50 360lm 3000K 90CRI

BLB-3W-G9-50 300lm 3000K 90CRI



**F5524 BRONZE WITH GOLD LEAF (SHOWN)**

**F5534 GRAPHITE WITH SILVER LEAF**

16½" w 34¾" h 9¼" d 83½" max ht  
mm: 419 w 883 h 235 d 2121 max ht

Canopy: 7" w ¾" d  
mm: 178 w 19 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming

# ORIGAMI

**F5523 BRONZE WITH GOLD LEAF (SHOWN)**

**F5533 GRAPHITE WITH SILVER LEAF**

11½" w 24" h 6" d 72¾" max ht  
mm: 292 w 610 h 152 d 1848 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

1 - 4W G9 LED included  
360lm 3000K ±50K 90CRI

120V incandescent dimming



## GLASSWARE

Frosted Clear Glass

## METALWORK

Hand-worked Iron

## FINISH

Bronze with Gold Leaf

Graphite with Silver Leaf

## SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

## REPLACEMENT LAMP INFORMATION

BLB-4W-G9-50 360lm 3000K 90CRI

BLB-3W-G9-50 300lm 3000K 90CRI

**F5526 BRONZE WITH GOLD LEAF**

**F5536 GRAPHITE WITH SILVER LEAF (SHOWN)**

26" w 24¼" h 12" d 73" max ht  
mm: 660 w 616 h 305 d 1854 max ht

Canopy: 8" w ¾" d  
mm: 203 w 19 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming









# SILHOUETTE

**F5215 GOLD LEAF**

**F5255 SILVER LEAF (SHOWN)**

25" w 24¼" h

mm: 635 w 616 h

Canopy: 9" w 1" d

mm: 229 w 25 d

1 - 100W med base



# SILHOUETTE

**F5216 GOLD LEAF (SHOWN)**

**F5256 SILVER LEAF**

25½" w 19¾" h

mm: 648 w 502 h

Canopy: 9½" w 1" d

mm: 241 w 25 d

1 - 100W med base



**GLASSWARE**

Gloss Opal

**METALWORK**

Hand-worked Iron

**FINISH**

Gold Leaf

Silver Leaf

**SUSPENSION**

10' Aircraft Cable



# SILHOUETTE

**F5213 GOLD LEAF (SHOWN)**

**F5253 SILVER LEAF**

16" w 23" h

mm: 406 w 584 h

Canopy: 6½" w 1" d

mm: 165 w 25 d

1 - 100W med base



**F5214 GOLD LEAF**

**F5254 SILVER LEAF (SHOWN)**


18" w 21" h

mm: 457 w 533 h

Canopy: 8" w 1" d

mm: 203 w 25 d

1 - 100W med base



**GLASSWARE**

Gloss Opal

**METALWORK**

Hand-worked Iron

**FINISH**

Gold Leaf

Silver Leaf

**SUSPENSION**

10' Aircraft Cable







# ATOMIC



**C4254** POLISHED BRASS (SHOWN)

**C4804** POLISHED NICKEL

48" w 10½" h

mm: 1219 w 267 h

Canopy: 11¾" w ½" d

mm: 298 w 13 d

16 - 1.7W LED included

1800lm 2700K ±100K 90CRI

120V/277V incandescent dimming



**B4251** POLISHED BRASS

**B4801** POLISHED NICKEL (SHOWN)

14¼" w 21¾" h 4¼" p 11" tcd

mm: 362 w 552 h 108 p 279 tcd

Backplate: 5½" w ½" d

mm: 140 w 13 d

8 - 1.7W LED included

900lm 2700K ±100K 90CRI

120V/277V incandescent dimming



# ATOMIC



**C4253 POLISHED BRASS**

**C4803 POLISHED NICKEL (SHOWN)**

36¼" w 8¼" h

mm: 921 w 210 h

Canopy: 8¾" w ½" d

mm: 222 w 13 d

16 - 1.7W LED included

1800lm 2700K ±100K 90CRI

120V/277V incandescent dimming



**C4252 POLISHED BRASS (SHOWN)**

**C4802 POLISHED NICKEL**

25" w 5¾" h

mm: 635 w 146 h

Canopy: 6" w ½" d

mm: 152 w 13 d

8 - 1.7W LED included

900lm 2700K ±100K 90CRI

120V/277V incandescent dimming

## FINISH

Polished Brass with Matte Black

Polished Nickel with Matte Black



# IMPRESSION

## **F6046**

36¼" w 7¼" h 56¼" max ht  
mm: 918 w 185 h 1429 max ht

Canopy: 5¼" w 1" d  
mm: 133 w 25 h

14 - 60W cand base



## **METALWORK**

Hand-worked Iron

## **FINISH**

Graphite and Satin Nickel

## **SUSPENSION**

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457



# IMPRESSION

## F6045

27½" w 7¼" h 56¼" max ht  
mm: 699 w 185 h 1429 max ht

Canopy: 5¼" w 1" d  
mm: 133 w 25 d

10 - 60W cand base



## B6042

7" w 12" h 4"p 6 tcd  
mm: 178 w 305 h 98 p 152 tcd

Backplate: 12" h 7" w ¾" d  
mm: 305 h 175 w 19 d

2 - 60W cand base



## METALWORK

Hand-worked Iron

## FINISH

Graphite and Satin Nickel

## SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

# CONUNDRUM

## F5602

22½" w 22½" h 11¾" d 28½" min ht  
mm: 572 w 572 h 298 d 724 min ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI  
120V incandescent dimming

## F5601

16" w 16" h 8" d 17¼" min ht  
mm: 407 w 407 h 254 d 438 min ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI  
120V incandescent dimming



### GLASSWARE

Frosted White Glass

### METALWORK

Hand-worked Aluminum

### FINISH

Textured Black

### SUSPENSION

10' Aircraft Cable







# ANDROMEDA

## F4827

56" w 44" h 93" max ht

mm: 1422 w 1118 h 2362 max ht

Canopy: 7" w ¾" d

mm: 178 w 19 d

16 - 50W G9 included



### GLASSWARE

Frosted Clear Glass

### METALWORK

Hand-worked Wrought Iron

### FINISH

Carbide Black and Polished Nickel

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LED G9 Lamps available (see page 391)

# ANDROMEDA

## F4826

42" w 37½" h 91" max ht  
mm: 1067 w 946 h 2311 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

12 - 50W G9 included



## B4822

5¼" w 19¼" h 6¼" p 9¾" tcd  
mm: 133 w 489 h 159 p 248 tcd

Backplate: 5¼" w ¾" d  
mm: 133 w 19 d

2 - 50W G9 included



# ANDROMEDA

## F4825

42" w 29½" h 78½" max ht  
mm: 1067 w 749 h 1994 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

8 - 50W G9 included

## F4824

5" w 7¼" h  
mm: 127 w 184 h

Canopy: 6" w ¾" d  
mm: 152 w 19 d

1 - 25W G9 included

### SUSPENSION

10' / 3048 mm wire included



### GLASSWARE

Frosted Clear Glass

### METALWORK

Hand-worked Wrought Iron

### FINISH

Carbide Black and Polished Nickel

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LED G9 Lamps available (see page 391)





# TRAPEZE

## F5848

18" w 21¼" h 32" min ht 136¼" max ht  
mm: 457 w 540 h 813 min ht 3460 max ht

Canopy: 6¼" w 1" d  
mm: 159 w 26 d

8 - 60W cand base



### GLASSWARE

Clear Blown Glass

### METALWORK

Hand-worked Iron

### FINISH

Champagne Silver Leaf

### SUSPENSION

10' Aircraft Cable

# TRAPEZE

## F5844

12" w 14¼" h 25" min ht 129" max ht  
mm: 305 w 362 h 635 min ht 3277 max ht

Canopy: 6" w 1" d  
mm: 153 w 26 d

4 - 60W cand base



## B5842

9½" w 11¼" h 4¾" p 4¾" tcd  
mm: 241 w 283 h 121 p 121 tcd

Backplate: 8¾" w 11¼" h ½" d  
mm: 222 w 283 h 13 d

2 - 60W cand base

### GLASSWARE

Clear Blown Glass

### METALWORK

Hand-worked Iron

### FINISH

Champagne Silver Leaf

### SUSPENSION

10' Aircraft Cable







# CALLIOPE

## **F4866**

42" w 14¼" h  
mm: 1067 w 362 h

Canopy: 5½" w 1" d  
mm: 140 w 25 d

8 - 60W cand base

### **STEM-TO-CHAIN SUSPENSION**

12" / 305 mm stem not included in  
measurements. Use of stem is optional.



# CALLIOPE

## F4865

34" w 12" h  
mm: 864 w 305 h

Canopy: 5½" w 1" d  
mm: 140 w 25 d

6 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not included in  
measurements. Use of stem is optional



## B4862

9" w 13" h 6" p 6½" tcd  
mm: 229 w 330 h 152 p 165 tcd

Backplate: 6½" w 12¼" h ¾" d  
mm: 165 w 311 h 19 d

2 - 60W cand base



### SHADE

Hardback Linen

### METALWORK

Hand-worked Iron

### FINISH

Rustic Gold Leaf



# CALLIOPE

## F4863

17¼" w 6½" h  
mm: 451 w 165 h

Canopy: 5½" w 1" d  
mm: 140 w 25 d

1 - 60W med base

### STEM-TO-CHAIN SUSPENSION

4½" / 114 mm stem not included  
in measurements. Use of stem  
is optional.

## F4864

26" w 8½" h  
mm: 660 w 216 h

Canopy: 5½" w 1" d  
mm: 140 w 25 d

4 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

8½" / 216 mm stem not included  
in measurements. Use of stem  
is optional.



### SHADE

Hardback Linen

### METALWORK

Hand-worked Iron

### FINISH

Rustic Gold Leaf

# FAHRENHEIT

## F5542

12½" w 22" h 71" max ht  
mm: 318 w 559 h 1803 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

3 - 12W LED included  
2520lm 2700K ±50K 90CRI  
120V incandescent dimming



## F5541

8¼" w 15" h 64" max ht  
mm: 210 w 381 h 1626 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI  
120V incandescent dimming



### METALWORK

Hand-worked Iron

### FINISH

Textured Black with Gold Leaf Accents

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457





# QUANTUM

## F5237

15¼" w 41½" h  
mm: 387 w 1054 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

6 - 60W cand base



### GLASSWARE

Opal

### METALWORK

Hand-worked Iron

### FINISH

Gold Leaf



## B5234

8" w 12½" h 4" p 6½" tcd ADA  
mm: 203 w 318 h 102 p 165 tcd

Backplate: 5¾" w 11½" h ½" d  
mm: 146 w 292 h 13 d

2 - 60W cand base

# QUANTUM

## F5236

13" w 34½" h  
mm: 330 w 877 h

Canopy: 5" w ¾" d  
mm: 127 w 19 d

3 - 60W cand base



## F5235

9" w 22½" h  
mm: 229 w 572 h

Canopy: 5" w ¾" d  
mm: 127 w 19 d

1 - 100W med base



### GLASSWARE

Opal

### METALWORK

Hand-worked Iron

### FINISH

Gold Leaf









# CITIZEN



## B5991

4¾" w 16¼" h 5¾" p 2½" tcd  
mm: 121 w 410 h 143 p 60 tcd

Backplate: 4¾" w 4¾" h 1" d  
mm: 117 w 117 h 26 d

1 - 60W med base

## F5998

33¾" w 38½" h  
mm: 854 w 978 h

Canopy: 5¼" w ¾" d  
mm: 130 w 19 d

8 - 60W med base



### GLASSWARE

Clear Pressed Glass

### METALWORK

Hand-worked Iron

### FINISH

Graphite and Polished Nickel

### OPTIONAL LAMP INFORMATION

- LB-60-T10-12 Twelve-pack 60W med base Early Electric Lamps
- LB-40-T10-12 Twelve-pack 40W med base Early Electric Lamps
- LB-6W-5.5-12 Twelve-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V
- LB-60-6 Six-pack 60W med base Early Electric Lamps
- LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V

# CITIZEN

## F5996

25" w 33¼" h  
mm: 635 w 845 h

Canopy: 5¼" w ¾" d  
mm: 130 w 19 d

6 - 60W med base



## F5992


10" l 4¾" w 9¾" h  
mm: 254 l 121 w 248 h

20" min ht 100" max ht  
508 min ht 2540 max ht

Canopy: 8" l 5" w ¾" d  
mm: 204 l 127 w 19 d

Includes 10' fabric-covered cord

1 - 60W med base



## F5993

4¾" w 9¾" h 124" max ht  
mm: 121 w 248 h 3150 max ht

Canopy: 4¾" w ¾" d  
mm: 121 w 19 d

Includes 10' fabric-covered cord

1 - 60W med base





# CITIZEN

## F5995

44½" l 4¾" w 19" h  
mm: 1127 l 121 w 483 h

32" min ht 120" max ht  
813 min ht 3048 max ht

Canopy: 12¼" l 5" w 1" d  
mm: 308 l 124 w 26 d

Includes 10' aircraft cable

5 - 60W med base



### GLASSWARE

Clear Pressed Glass

### METALWORK

Hand-worked Iron

### FINISH

Graphite and Polished Nickel

### OPTIONAL LAMP INFORMATION

- LB-60-T10-12 Twelve-pack 60W med base Early Electric Lamps
- LB-40-T10-12 Twelve-pack 40W med base Early Electric Lamps
- LB-6W-5.5-12 Twelve-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V
- LB-60-6 Six-pack 60W med base Early Electric Lamps
- LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V





# IMPULSE

## **F5616**

36" w 8¼" h 57¼" max ht  
mm: 914 w 210 h 1454 max ht

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

1 - 24W LED included  
1680lm 2700K ±50K 90CRI

120V incandescent dimming



### **GLASSWARE**

Opal White Glass

### **METALWORK**

Hand-worked Iron

### **FINISH**

Textured Bronze

### **SUSPENSION**

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457



# IMPULSE

## F5614

26" w 6¼" h 55¼" max ht  
mm: 660 w 159 h 1403 max ht

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

1 - 18W LED included  
1260lm 2700K ±50K 90CRI

120V incandescent dimming



## B5611

7¾" w 12" h 4¼" p 6" tcd  
mm: 197 w 305 h 108 p 152 tcd

Backplate: 4¾" w 12" h ½" d  
mm: 121 w 305 h 13 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming



## GLASSWARE

Opal White Glass

## METALWORK

Hand-worked Iron

## FINISH

Textured Bronze

## SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457





# ALCHEMY

## F5866

30" w 15" h

mm: 762 w 381 h

23" min ht 106" max ht

584 min ht 2693 max ht

Canopy: 6 $\frac{3}{4}$ " w 3 $\frac{1}{4}$ " d

mm: 171 w 19 d

1 - 24W LED included

1680lm 2700K  $\pm$ 50K 90CRI

120V incandescent dimming



### METALWORK

Hand-worked Iron

### GLASSWARE

Opal White Glass

### FINISH

Vintage Bronze and Champagne Silver Leaf

### SUSPENSION

Includes 10' Fabric-covered Cord



# ALCHEMY

## F5865


24" w 12½" h  
mm: 610 w 318 h

20" min ht 99½" max ht  
711 min ht 2528 max ht

Canopy: 6¾" w ¾" d  
mm: 171 w 19 d

1 - 18W LED included  
1260lm 2700K ±50K 90CRI

120V incandescent dimming



## B5861

6½" w 19½" h 8" p 8¼" tcd  
mm: 165 w 1578 h 203 p 216 tcd

Canopy: 5¼" w ¾" d  
mm: 130 w 19 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming







# UNI

## F3669

50" w 33" h  
mm: 1270 w 838 h

Canopy: 8" w 1¼" d  
mm: 204 w 32 d

12" (305 mm) stem not included  
in measurement

12 - 60W cand base

Shown with optional  
Flame Tip Early Electric Lamps

## B3661

7½" w 22" h 4" p 11½" tcd ADA  
mm: 191 w 559 h 102 p 292 tcd

Backplate: 5" w 10" h ¾" d  
mm: 127 w 254 h 19 d

2 - 60W cand base

Shown with optional  
Flame Tip Early Electric Lamps



### METALWORK

Hand-worked Wrought Iron

### FINISH

Tide Pool Bronze

### OPTIONAL LAMP INFORMATION

LB-40-FT-12 Twelve-pack 40W cand base  
Flame Tip Early Electric Lamps



# UNI

## F3668

40" w 28" h  
mm: 1016 w 711 h

Canopy: 8" w 1 1/4" d  
mm: 204 w 32 d

12" (305 mm) stem not included  
in measurement

8 - 60W cand base  
Shown with optional  
Flame Tip Early Electric Lamps

## B3662

8 1/2" w 25 1/2" h 6" p 13" tcd  
mm: 216 w 648 h 152 p 330 tcd

Backplate: 5" w 10" h 3/4" d  
mm: 127 w 254 h 19 d

2 - 60W cand base  
Shown with optional  
Flame Tip Early Electric Lamps



# UNI

## F3666

30" w 22" h  
mm: 762 w 559 h

Canopy: 8" w 1¼" d  
mm: 204 w 32 d

12" (305 mm) stem not included  
in measurement


6 - 60W cand base  
Shown with optional  
Flame Tip Early Electric Lamps

## C3664

30" w 12½" h  
mm: 762 w 318 h

Canopy: 8" w 1½" d  
mm: 204 w 13 d

4 - 60W cand base  
Shown with optional  
Flame Tip Early Electric Lamps



### METALWORK

Hand-worked Wrought Iron

### FINISH

Tide Pool Bronze

### OPTIONAL LAMP INFORMATION

LB-40-FT-12 Twelve-pack 40W cand base  
Flame Tip Early Electric Lamps







# KOKORO

## F6016

23" w 16 $\frac{3}{4}$ " h 66 $\frac{3}{4}$ " max ht  
mm: 584 w 426 h 1696 max ht

Canopy: 6" w 3 $\frac{1}{4}$ " d  
mm: 149 w 19 d

6 - 60W cand base



### METALWORK

Hand-worked Iron

### FINISH

Kokoro Bronze

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

# KOKORO

## F6015

15" w 10¾" h 60¾" max ht  
mm: 381 d 273 h 1543 max ht

Canopy: 6" d ¾" d  
mm: 149 d 19 d

1 - 60W med base

Shown with optional  
60W LB-60 Early Electric Lamp

## B6012

12" w 9¾" h 6" p 5" tcd  
mm: 305 w 248 h 152 p 127 tcd

Backplate: 4½" w 9½" h 1" d  
mm: 111 w 241 h 26 d

2 - 60W cand base



### METALWORK

Hand-worked Iron

### FINISH

Kokoro Bronze

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400 lm 2200K 120V

# TSUKI

## F6024

18¼" w 19" h 69" max ht  
mm: 460 d 483 h 1753 max ht

Canopy: 6" w ¾" d  
mm: 149 w 19 d

4 - 60W med base

Shown with optional  
60W LB-60 Early Electric Lamps



### METALWORK

Hand-worked Iron

### FINISH

Kokoro Bronze

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V



# TSUKI

## F6023

13 $\frac{3}{4}$ " w 14 $\frac{3}{4}$ " h 64 $\frac{3}{4}$ " max ht  
mm: 349 w 375 h 1645 max ht

Canopy: 6" w  $\frac{3}{4}$ " d  
mm: 149 w 19 d

3 - 60W cand base



## F6021

10" w 10 $\frac{3}{4}$ " h 60 $\frac{3}{4}$ " max ht  
mm: 254 d 273 h 1543 max ht

Canopy: 6" d  $\frac{3}{4}$ " d  
mm: 149 d 19 d

1 - 60W med base

Shown with optional  
60W LB-60 Early Electric Lamp



### METALWORK

Hand-worked Iron

### FINISH

Kokoro Bronze

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps

400 lm 2200K 120V











# FACTION

## **F5888**

34" w 24¼" h

mm: 864 w 616 h

Canopy: 5½" w ¾" d

mm: 140 w 19 d

8 - 60W cand base



### **GLASSWARE**

Clear Pressed Glass

### **METALWORK**

Hand-worked Iron

### **FINISH**

Forged Iron and Polished Nickel

### **OPTIONAL LAMP INFORMATION**

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180lm 2200K 120V

# FACTION

## B5881

5¾" w 7¾" h 7½" p 5½" tcd  
mm: 148 w 197 h 191 p 137 tcd

Backplate: 4¾" w 4¾" h ¾" d  
mm: 121 w 121 h 16 d

1 - 60W cand base



## F5885

5¾" w 6½" h 56¼" max ht  
mm: 146 w 166 h 1429 max ht

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

1 - 60W cand base

### SUSPENSION

Includes 4 stems with  
hang-straight canopy



## F5886

28" w 20¼" h  
mm: 711 w 515 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

6 - 60W cand base



### GLASSWARE

Clear Pressed Glass

### METALWORK

Hand-worked Iron

### FINISH

Forged Iron and Polished Nickel

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180lm 2200K 120V





# LIBRARY

## F5243

20¼" w 11¼" h 69" max ht  
mm: 514 w 286 h 1752 max ht

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

1 - 100W med base



## F5245

28" w 15" h 63¾" max ht  
mm: 711 w 381 h 1619 max ht

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

1 - 100W med base



## GLASSWARE

Gloss Opal

## METALWORK

Hand-worked Iron

## FINISH

Copper Patina Exterior and Silver Leaf Interior

## SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457



# HIDEAWAY

## **F5636**

20½" w 17¼" h 66¼" max ht  
mm: 521 w 438 h 1682 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming



### **GLASSWARE**

Frosted White Glass

### **METALWORK**

Hand-worked Iron

### **FINISH**

Champagne Leaf

### **SUSPENSION**

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

# HIDEAWAY

## F5634

16" w 14¾" h 63¾" max ht  
mm: 406 w 375 h 1619 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming



## B5631

8" w 12" h 4" p 5" tcd  
mm: 203 w 305 h 108 p 127 tcd

Backplate: 5" w 12" h ½" d  
mm: 127 w 305 h 13 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming

### GLASSWARE

Frosted White Glass

### METALWORK

Hand-worked Iron

### FINISH

Champagne Leaf

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457





# BLINK

## B4131

14¼" w 21¾" h 4" p ADA  
mm: 362 w 552 h 102 p

Backplate: 4¾" w 6" h ¾" d  
mm: 121 w 153 h 19 d

1 - 60W cand base



## F4138

50" w 9½" h 58½" oah  
mm: 1270 w 241 h 1486 oah

Canopy: 6" w 2" d  
mm: 153 w 51 d

8 - 60W cand base

Shown with optional  
Early Electric Lamps





# BLINK

## F4135

27" w 8" h 57" oah  
mm: 686 w 203 h 1448 oah

Canopy: 6" w 2" d  
mm: 153 w 51 d

5 - 60W cand base

Shown with optional  
Early Electric Lamps



## F4136

40" w 8¾" h 57¾" oah  
mm: 1016 w 222 h 1467 oah

Canopy: 6" w 2" d  
mm: 153 w 51 d

6 - 60W cand base

Shown with optional  
Early Electric Lamps



### METALWORK

Hand-worked Wrought Iron

### FINISH

Light Cottage Bronze

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

Pendants may be used as semi-flush

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps

180lm 2200K 120V







# INSIGHT

## FL4897

16" w 18" h 6" d 68" max ht  
mm: 406 w 457 h 152 d 1727 max ht

Canopy: 7" w 2" d  
mm: 178 w 51 d

1 - 28W LED included

1820lm 2700K ±50K 90CRI

120V/277V, incandescent,  
ELV dimming



## BL4891

8" w 15" h 4<sup>3</sup>/<sub>4</sub>" p 3" tcd  
mm: 203 w 381 h 121 p 76 tcd

Backplate: 6" w 1<sup>1</sup>/<sub>4</sub>" d  
mm: 152 w 32 d

1 - 8W LED included

300lm 2700K ±50K 90CRI

120V/277V, incandescent,  
ELV dimming

### SHADE

Perforated Metal

### METALWORK

Hand-worked Iron

### FINISH

Modern Bronze with Gold Leaf and Silver

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

# INSIGHT



## FL4895

8" w 9¾" h 3" d 61" max ht  
mm: 203 w 248 h 76 d 1549 max ht

Canopy: 6" w 2" d  
mm: 152 w 51 d

1 - 8W LED included

300lm 2700K ±50K 90CRI

120V/277V, incandescent,  
ELV dimming



## FL4896

12" w 13¾" h 4½" d 63" max ht  
mm: 305 w 349 h 114 d 1600 max ht

Canopy: 6" w 2" d  
mm: 152 w 51 d

1 - 10W LED included

650lm 2700K ±50K 90CRI

120V/277V, incandescent, ELV dimming

### SHADE

Perforated Metal

### METALWORK

Hand-worked Iron

### FINISH

Modern Bronze with Gold Leaf and Silver

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457





# DISCUS

## **F2737**

32" w 13½" h 65½" max ht  
mm: 813 w 343 h 1664 max ht

Canopy: 6¼ w 1¼" d  
mm: 159 w 32 d

2 - 60W med base

## **FF2737**

2 - 26W GU24 CFL included



## **SHADE**

Satin Stainless Steel

## **GLASSWARE**

Matte Opal

## **METALWORK**

Hand-worked Wrought Iron

## **FINISH**

Graphite

## **SUSPENSION**

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

## **F2737**

Shown as flush mount

Flush mount canopy included



# DISCUS

## F2735

18" w 10" h 62" max ht  
mm: 457 w 254 h 1575 max ht

Canopy: 6¼" w 1¼" d  
mm: 159 w 32 d

1 - 100W med base

## FF2735

1 - 26W GU24 CFL included



## F2736

24" w 10" h 62" max ht  
mm: 610 w 254 h 1575 max ht

Canopy: 6¼" w 1¼" d  
mm: 159 w 32 d

1 - 100W med base  
Flush mount canopy included

## FF2736

1 - 26W GU24 CFL included



## F2735

Shown as flush mount  
Flush mount canopy included

# DISCUS

## F2734

10<sup>3</sup>/<sub>4</sub>" w 10<sup>3</sup>/<sub>4</sub>" h 62<sup>3</sup>/<sub>4</sub>" max ht  
mm: 273 w 273 h 1594 max ht

Canopy: 6<sup>1</sup>/<sub>4</sub>" w 1<sup>1</sup>/<sub>4</sub>" d  
mm: 159 w 32 d

1 - 60W med base

## FF2734

1 - 18W GU24 CFL included



## B2732

9<sup>3</sup>/<sub>4</sub>" w 14" h 5" p 7" tcd  
mm: 248 w 356 h 127 p 178 tcd

Backplate: 6 w 13<sup>3</sup>/<sub>4</sub> h  
mm: 152 w 349 h

2 - 60W med base

## BF2732

2 - 13W GU24 CFL included

### SHADE

Satin Stainless Steel

### GLASSWARE

Matte Opal

### METALWORK

Hand-worked Wrought Iron

### FINISH

Graphite

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457





# CROSBY

**F2495FI**

28" w 41" h

mm: 711 w 1041 h

Canopy: 5¼" w 1¼" d

mm: 130 w 32 d

12 - 60W cand base

Shown with optional  
Early Electric Lamps





# CROSBY

## **F2496FI**

25" w 17" h

mm: 635 w 432 h

Canopy: 5¼ w 1¼" d

mm: 130 w 32 d

6 - 60W cand base

Shown with optional  
Early Electric Lamps



### **GLASSWARE**

Topaz Glass

### **METALWORK**

Hand-worked wrought iron

### **FINISH**

French Iron

### **STEM-TO-CHAIN SUSPENSION**

18" / 457 mm stem not included in measurements.

Use of stem is optional.

### **OPTIONAL LAMP INFORMATION**

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180 lm 2200K 120V

# CROSBY

## F2494FI

22" w 32¼" h  
mm: 559 w 819 h

Canopy: 5¼" w 1¼" d  
mm: 130 w 32 d

8 - 60W cand base

Shown with optional  
Early Electric Lamps



## B2491FI

9½" w 16" h 4" p 8" tcd ADA  
mm: 241 w 406 h 102 p 203 tcd

Backplate: 4¾" w 12 h  
mm: 119 w 304 h

1 - 60W cand base

Shown with optional  
Early Electric Lamps





# CROSBY

## F2493FI

18" w 26" h  
mm: 457 w 660 h

Canopy: 5¼ w 1¼" d  
mm: 130 w 32 d

6 - 60W cand base

Shown with optional  
Early Electric Lamps



## F2492FI

10½" w 17" h  
mm: 267 w 432 h

Canopy: 5¼ w 1¼" d  
mm: 130 w 32 d

2 - 60W cand base

Shown with optional  
Early Electric Lamps



### GLASSWARE

Topaz Glass

### METALWORK

Hand-worked wrought iron

### FINISH

French Iron

### STEM-TO-CHAIN SUSPENSION

18" / 457 mm stem not included in measurements.

Use of stem is optional.

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180lm 2200K 120V

# DISTRICT

## F5561 CLEAR GLASS (SHOWN)

## F5571 PLATED TOPAZ GLASS (SHOWN)

## F5581 PLATED SMOKE GLASS

8" w 15<sup>3</sup>/<sub>4</sub>" h 64<sup>3</sup>/<sub>4</sub>" max ht  
mm: 203 w 400 h 1645 max ht

Canopy: 6<sup>1</sup>/<sub>4</sub>" w 3<sup>3</sup>/<sub>4</sub>" d  
mm: 159 w 19 d

1 - 75W med base  
Early Electric T10 lamp included

## F5562 CLEAR GLASS

## F5572 PLATED TOPAZ GLASS (SHOWN)

## F5582 PLATED SMOKE GLASS (SHOWN)

10" w 20<sup>3</sup>/<sub>4</sub>" h 69<sup>3</sup>/<sub>4</sub>" max ht  
mm: 254 w 527 h 1772 max ht

Canopy: 6<sup>1</sup>/<sub>4</sub>" w 3<sup>3</sup>/<sub>4</sub>" d  
mm: 159 w 19 d

1 - 75W med base  
Early Electric T10 lamp included



### GLASSWARE

Clear Glass

Plated Topaz Glass

Plated Smoke Glass

### METALWORK

Hand-worked Iron

### FINISH

Satin Black

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### REPLACEMENT LAMP INFORMATION

LB-75-9.5-12 Twelve-pack 75W med base Early Electric Lamps

LB-7W-9.5-12 Twelve-pack 7W med base Early Electric LED Lamps  
500lm 2200K 120V



# BENNINGTON

## F1358FBZ

13½" w 15¼" h 65" max ht  
mm: 343 w 387 h 1651 max ht

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

3 - 60W cand base

## FF1358FBZ

1 - 26W GU24 CFL included



## C1350FBZ

15" w 7" h  
mm: 381 w 178 h

Canopy: 10" w 1" d  
mm: 251 w 25 d

2 - 60W med base



## APPLICATIONS

Interior / Exterior

## GLASSWARE

Seeded and Matte Opal

## METALWORK

Hand-worked Wrought Iron

## FINISH

Forged Bronze

## SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

## B1351FBZ

9" w 12" h 4½" p  
mm: 229 w 305 h 114 p

Canopy: 5" w 9¼" h ½" d  
mm: 127 w 232 h 13 d

2 - 60W cand base

## BF1351FBZ

1 - 13W GU24 CFL included

# BENNINGTON

## **B1352FBZ**

13½" w 15¼" h 6" p  
mm: 343 w 387 h 152 p

Canopy: 7" w 11½" h ½" d  
mm: 178 w 293 w 13 d

2 - 60W med base

## **BF1352FBZ**

1 - 18W GU24 CFL (included)



## **F1357FBZ**

9¾" w 12" h  
mm: 248 w 305 h

Canopy: 6½" w ¾" d 61½" max ht  
mm: 165 w 19 d 1562 max ht

1 - 100W med base

## **FF1357FBZ**

1 - 18W GU24 CFL included

### **APPLICATIONS**

Interior / Exterior

### **GLASSWARE**

Seeded and Matte Opal

### **METALWORK**

Hand-worked Wrought Iron

### **FINISH**

Forged Bronze

### **SUSPENSION**

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457





# BERLIN

## F5853

19½" w 18½" h 67½" max ht  
mm: 495 w 470 h 1715 max ht

Canopy: 6" w ¾" d  
mm: 149 w 19 d

1 - 18W LED included  
1350 lm 2700K ±50K 90CRI

120V/277V universal dimming



### GLASSWARE

Clear Glass

### METALWORK

Hand-worked Iron

### FINISH

Gun Metal

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457





# BERLIN

## F5852

15½" w 13¾" h 62¾" max ht  
mm: 394 w 350 h 1594 max ht

Canopy: 6" w ¾" d  
mm: 153 w 19 d

1 - 14W LED included  
1050 lm 2700K ±50K 90CRI

120V/277V universal dimming



## F5851

12½" w 11" h 60" max ht  
mm: 318 w 280 h 1524 max ht

Canopy: 6" w ¾" d  
mm: 153 w 19 d

1 - 14W LED included  
1050 lm 2700K ±50K 90CRI

120V/277V universal dimming



### GLASSWARE

Clear Glass

### METALWORK

Hand-worked Iron

### FINISH

Gun Metal

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457







# MITCHEL FIELD

## **B4721**

10" w 14" h 5" p 7" tcd  
mm: 254 w 356 h 127 p 178 tcd

Backplate: 4½" w 8" h ¾" d  
mm: 114 w 203 h 19 d

1 - 12W LED included  
840 lm 2700K ±50K 90CRI

120V/277V incandescent dimming



## **F4726**

40" w 29½" h 78¼" max ht  
mm: 1016 w 749 h 1988 max ht

Canopy: 8" w 2¼" d  
mm: 203 w 57 d

1 - 29W LED included  
2030 lm 2700K ±50K 90CRI

120V/277V universal dimming

# MITCHEL FIELD

## F4725

32" w 23½" h 72¼" max ht  
mm: 813 w 597 h 1835 max ht

Canopy: 8" w 2¼" d  
mm: 203 w 57 d

1 - 23W LED included  
1610 lm 2700K ±50K 90CRI  
120V/277V universal dimming



## C4720

18" w 8¾" h  
mm: 457 w 222 h

Canopy: 12¼" w ¾" d  
mm: 311 w 19 d

1 - 18W LED included  
1260 lm 2700K ±50K 90CRI  
120V/277V incandescent dimming

### GLASSWARE

Clear Fluted Glass, Frosted Inside

### METALWORK

Hand-worked Iron and Aluminum

### FINISH

Vintage Aluminum with Parisian Silver Leaf

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457



# MITCHEL FIELD

## F4724

26" w 9½" h 58¼" max ht  
mm: 660 w 241 h 1480 max ht

Canopy: 6" w 2" d  
mm: 152 w 51 d

1 - 23W LED included  
1610 lm 2700K ±50K 90CRI

120V/277V universal dimming



## F4723

18" w 13¾" h 62½" max ht  
mm: 457 w 349 h 1588 max ht

Canopy: 6" w 2" d  
mm: 152 w 51 d

1 - 17W LED included  
1190 lm 2700K ±50K 90CRI

120V/277V universal dimming



### GLASSWARE

Clear Fluted Glass, Frosted Inside

### METALWORK

Hand-worked Iron and Aluminum

### FINISH

Vintage Aluminum with Parisian Silver Leaf

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457







# IDLEWILD

## F4736

40" w 23¾" h  
mm: 1016 w 603 h

Canopy: 8" w 2¼" d  
mm: 203 w 57 d

1 - 29W LED included  
2030 lm 2700K ±50K 90CRI

120V/277V universal dimming




## B4731

10¾" w 11¼" h 11" p 8¼" tcd  
mm: 273 w 286 h 279 p 210 tcd

Backplate: 6" w ¾" d  
mm: 152 w 19 d

1 - 4.5W LED included  
300 lm 2700K ±100K 80CRI

120V incandescent dimming





# IDLEWILD



## **C4730**

11" w 5½" h  
mm: 279 w 140 h

Canopy: 10¾" w ¾" d  
mm: 273 w 19 d

1 - 18W LED included  
1260 lm 2700K ±50K 90CRI

120V/277V incandescent dimming

## **F4735**

32" w 19½" h  
mm: 813 w 495 h

Canopy: 8" w 2¼" d  
mm: 203 w 57 d

1 - 29W LED included  
2030lm 2700K ±50K 90CRI

120V/277V universal dimming



## **GLASSWARE**

Frosted Safety Glass Lens; Clear Fluted Glass Diffuser,  
Frosted Inside

## **METALWORK**

Hand-worked Iron and Aluminum

## **FINISH**

Aviation Gray and Vintage Aluminum

## **SUSPENSION**

10' Aircraft Cable

# IDLEWILD

## F4734

26" w 15¾" h  
mm: 660 w 400 h

Canopy: 6" w 2" d  
mm: 152 w 51 d

1 - 17W LED included  
1190 lm 2700K ±50K 90CRI  
120V/277V universal dimming

## F4733

18" w 11" h  
mm: 457 w 279 h

Canopy: 6" w 2" d  
mm: 152 w 51 d

1 - 12W LED included  
840 lm 2700K ±50K 90CRI  
120V/277V universal dimming



### GLASSWARE

Frosted Safety Glass Lens;  
Clear Fluted Glass Diffuser,  
Frosted Inside

### METALWORK

Hand-worked Iron and Aluminum

### FINISH

Aviation Gray and Vintage Aluminum

### SUSPENSION

10' Aircraft Cable







# FLYBOY

## F4708

40" w 15¾" h  
mm: 1016 w 400 h

Canopy: 8½" w 2" d  
mm: 216 w 51 d

1 - 150W med base

## F4703

12¾" w 13¼" h  
mm: 324 w 337 h

Canopy: 8½" w 2" d  
mm: 216 w 51 d

1 - 100W med base



### METALWORK

Hand-worked Iron, Brass  
and Aluminum

### FINISH

Antique Silver with Vintage  
Aluminum and Aged Brass

### SUSPENSION

10' Aircraft Cable

# FLYBOY

## **C4700**

12¾" w 12½" h  
mm: 324 w 318 h

Canopy: 8½" w 2" d  
mm: 216 w 51 d

1 - 100W med base



## **F4707**

32" w 12½" h  
mm: 813 w 318 h

Canopy: 8½" w 2" d  
mm: 216 w 51 d

1 - 100W med base





# FLYBOY

## F4705

18" w 9" h  
mm: 457 w 229 h

Canopy: 7" w 1½" d  
mm: 178 w 38 d

1 - 60W med base



## B4701

9" w 10½" h 4" p 5¼" tcd  
mm: 229 w 267 h 102 p 133 tcd

Backplate: 7" w 9" h ½" d  
mm: 178 w 229 h 13 d

1 - 60W cand base



## F4706

26" w 10¼" h  
mm: 660 w 260 h

Canopy: 7" w 1½" d  
mm: 178 w 38 d

1 - 100W med base

### METALWORK

Hand-worked Iron,  
Brass and Aluminum

### FINISH

Antique Silver with Vintage  
Aluminum and Aged Brass

### SUSPENSION

10' Aircraft Cable







# HANGAR 31

## F3546

15½" w 23" h  
mm: 394 w 584 h

Canopy: 6" w 1" d  
mm: 153 w 26 d

1 - 100W med base



## F3545

11¾" w 18¾" h  
mm: 298 w 486 h

Canopy: 5" w 1" d  
mm: 127 w 26 d

1 - 100W med base



### METALWORK

Cast and Spun Aluminum with  
Solid Brass accents

### FINISH

Old Silver with Aged Brass accents

### SUSPENSION

10' Aircraft Cable

# SILVERLAKE

## F5225

12" w 24" h  
mm: 305 w 610 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

1 - 60W med base



## F5224

8" w 16¼" h  
mm: 203 w 413 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

1 - 60W cand base



### GLASSWARE

Clear Glass

### METALWORK

Hand-worked Iron

### FINISH

French Iron





# AUDIOPHILE

## **F6155**

35½" w 20½" h  
mm: 899 w 521 h

29½" min ht 135½" max ht  
750 min ht 3442 max ht

Canopy: 5½" w ¾" d  
mm: 137 w 19 d

5 - 60W med base



### **GLASSWARE**

Clear Glass

### **METALWORK**

Hand-worked Iron and Aluminum

### **FINISH**

Old Silver and Polished Aluminum

### **SUSPENSION**

Includes 10' Fabric-covered Cord

### **OPTIONAL LAMP INFORMATION**

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400 lm 2200K 120V



# AUDIOPHILE



## B6151

9½" w 9½" h 11" p 3½" tcd  
mm: 242 w 239 h 280 p 90 tcd

Backplate: 5½" w ¾" d  
mm: 137 w 19 d

1 - 60W med base

## F6153

27" w 17½" h  
mm: 683 w 445 h

29" min ht 133" max ht  
736 min ht 3379 max ht

Canopy: 5½" w ¾" d  
mm: 137 w 19 d

3 - 60W med base



# AUDIOPHILE

## F6154

43" l 9½" w 22½" h  
mm: 1089 l 242 w 572 h

30" min ht 136½" max ht  
737 min ht 3467 max ht

Canopy: 7¼" l 4½" w ¾" d  
mm: 184 l 114 w 19 d

3 - 60W med base



## F6152

9½" w 8¾" h 123" max ht  
mm: 242 w 223 h 3125 max ht

Canopy: 5½" w ¾" d  
mm: 137 w 19 d

1 - 60W med base

### GLASSWARE

Clear Glass

### METALWORK

Hand-worked Iron and Aluminum

### FINISH

Old Silver and Polished Aluminum

### SUSPENSION

Includes 10' Fabric-covered Cord

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V







# UNION SQUARE

## F5915

42¼" l 5" w 44" h

mm: 1070 l 127 w 1118 h

Canopy: 5" l 13¾" w 1" d

mm: 127 l 350 w 22 d

5 - 75W med base

Shown with optional 75W  
Early Electric T10 Lamps



### GLASSWARE

Smoke Glass

### METALWORK

Hand-worked Iron

### FINISH

Graphite

### REPLACEMENT LAMP INFORMATION

LB-75-9.5-12 Twelve-pack 75W med base Early Electric Lamps

LB-7W-9.5-12 Twelve-pack 7W med base Early Electric LED Lamps  
500lm 2200K 120V

# UNION SQUARE

**F5918**

36" w 39¼" h  
mm: 914 w 1010 h

Canopy: 5½" w ¾" d  
mm: 140 w 16 d

8 - 75W med base

Shown with optional 75W  
Early Electric T10 Lamps





# UNION SQUARE

## F5916

30<sup>3</sup>/<sub>4</sub>" w 33<sup>1</sup>/<sub>4</sub>" h  
mm: 778 w 845 h

Canopy: 5<sup>1</sup>/<sub>2</sub>" w 3<sup>3</sup>/<sub>4</sub>" d  
mm: 140 w 16 d

6 - 75W med base

Shown with optional 75W  
Early Electric T10 Lamps



## B5911

4<sup>1</sup>/<sub>2</sub>" w 20<sup>3</sup>/<sub>4</sub>" h 7"p 3" tcd  
mm: 115 w 527 h 175 p 73 tcd

Backplate: 4<sup>1</sup>/<sub>2</sub>" w 5" h 3<sup>3</sup>/<sub>4</sub>" d  
mm: 114 w 124 h 19 d

1 - 75W med base

Shown with optional 75W  
Early Electric T10 Lamp

## GLASSWARE

Smoke Glass

## METALWORK

Hand-worked Iron

## FINISH

Graphite

## REPLACEMENT LAMP INFORMATION

LB-75-9.5-12 Twelve-pack 75W med base Early Electric Lamps

LB-7W-9.5-12 Twelve-pack 7W med base Early Electric LED Lamps  
500lm 2200K 120V







# RELATIVITY

## B3651

6½" w 17" h 6" p  
mm: 165 w 432 h 152 p

Backplate: 11¾" l 5" w ¾" d  
mm: 261 l 124 h 127 w 19 d

1 - 100W med base

60W Early Electric Lamp included



## F3655

34" w 16" h  
mm: 864 w 406 h

Canopy: 8" w 2" d  
mm: 203 w 51 d

5 - 100W med base

60W Early Electric Lamps included



### METALWORK

Hand-formed Iron and Rebar

### FINISH

Salvage Zinc Exterior with Chalkboard Interior

### REPLACEMENT LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V



# RELATIVITY -

## F3654

27" w 12" h  
mm: 686 w 305 h

Canopy: 8" w 2" d  
mm: 203 w 51 d

4 - 100W med base

60W Early Electric Lamps  
included

## F3653

21" w 10" h  
mm: 533 w 254 h

Canopy: 8" w 2" d  
mm: 203 w 51 d

3 - 60W cand base

40W Early Electric Lamps  
included



### METALWORK

Hand-formed Iron and Rebar

### FINISH

Salvage Zinc Exterior with Chalkboard Interior

### REPLACEMENT LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V

LB40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-LED Twelve-pack 40W cand base Early Electric LED Lamps  
180lm 2200K 120V







# CONDUIT


## F3816

42" w 25½" h 65½" max ht  
mm: 1067 w 648 h 1664 max ht

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

25 - 40W cand base

Shown with optional 40W  
Early Electric Lamps



# CONDUIT

## F3815

32" w 16¾" h 60¾" max ht  
mm: 813 w 425 h 1543 max ht

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

13 - 40W cand base

Shown with optional 40W  
Early Electric Lamps


## B3812

6" w 19" h 5¼" p  
mm: 152 w 483 h 146 p

Backplate: 6" w 1¼" d  
mm: 152 w 32 d

2 - 100W med base

Shown with optional 60W  
Early Electric Lamps



### METALWORK

Hand-worked Iron

### FINISH

Old Silver

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-LED Twelve-pack 3W Early Electric LED Lamps  
180lm 2200K 120V



# CONDUIT

## C3810

6" w 8¼" h  
mm: 152 w 210 h

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

1 - 60W med base

Shown with optional 60W  
Early Electric Lamps

Wall or ceiling mount applications




## F3818

42" w 35¾" h 77¾" max ht  
mm: 1067 w 908 h 1975 max ht

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

16- 60W med base

Shown with optional 60W  
Early Electric Lamps



# CONDUIT



## F3813

4" w 7½" h  
mm: 102 w 191 h

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

10" min. ht, 127" max. ht

1 - 60W med base

Shown with optional 60W  
Early Electric Lamps

Includes 10' fabric covered wire

## F3817

34¼" w 30¾" h 72¼" max ht  
mm: 870 w 781 h 1835 max ht

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

12 - 60W med base

Shown with optional 60W  
Early Electric Lamps



### METALWORK

Hand-worked Iron

### FINISH

Old Silver

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V



# CONDUIT

## F3819

46½" l 17¾" w 16¾" h 60¾" max ht  
mm: 1181 l 451 w 425 h 1543 max ht

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

7 - 100W med base

Shown with optional 60W  
Early Electric Lamps



## B3811

10½" w 26½" h 6½" p 23½" tcd  
mm: 267 w 673 h 165 p 597 tcd

Backplate: 6" w 1¼" d  
mm: 152 w 32 d

2 - 60W cand base



### METALWORK

Hand-worked Iron

### FINISH

Old Silver

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400 lm 2200K 120V





# ACME



## **C3890**

8½" w 7¼" h  
mm: 216 w 184 h

Canopy: 6½" w 1" h  
mm: 159 w 25 h

1 - 100W med base

## **CL3890**

1 - 18W LED included  
1260lm 2700K ±50K 90CRI

120V incandescent dimming



## **F3898**

32" w 18¼" h  
mm: 813 w 464 h

Canopy: 5" w 1" d  
mm: 127 w 25 d

1 - 100W med base

## **FL3898**

1 - 18W LED included  
1260lm 2700K ±50K 90CRI

120V incandescent dimming

## **GLASSWARE**

Clear Pressed Glass

## **METALWORK**

Solid Aluminum

## **FINISH**

Aged Silver

# ACME

## F3897

22" w 13" h  
mm: 559 w 330 h

Canopy: 5" w 1" d  
mm: 127 w 25 d

1 - 100W med base

## FL3897

1 - 18W LED included  
1260 lm 2700K ±50K 90CRI  
120V incandescent dimming



## C3891

12½" w 10¾" h  
mm: 318 w 273 h

Canopy: 10" w 1" h  
mm: 254 w 25 h

1 - 100W med base

## CL3891

1 - 18W LED included  
1260 lm 2700K ±50K 90CRI  
120V incandescent dimming



### GLASSWARE

Clear Pressed Glass

### METALWORK

Solid Aluminum

### FINISH

Aged Silver





# TOLEDO

**F2776**

51" l 14" w 10¼" h 59½" max ht  
mm: 1295 l 356 w 260 h 1511 max ht

Canopy: 6" w 1" d  
mm: 152 w 25 d

3 - 100W med base

Shown with optional 60W  
Early Electric Lamps

**APPLICATION**

Indoor / Outdoor

**FINISH**

Old Silver

**SUSPENSION**

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

**OPTIONAL LAMP INFORMATION**

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 60W med base Early Electric LED Lamps

400lm 2200K 120V



# TOLEDO

## B2771

11" w 14¾" h 12½" p 2½" tcd  
mm: 279 w 375 h 318 p 64 tcd

Backplate: 5" w 1" d  
mm: 127 w 25 d

1 - 100W med base

Shown with optional 60W  
Early Electric Lamps



## F2773

11" w 6¾" h 56" max ht  
mm: 279 w 171 h 1422 max ht

1 - 100W med base

Canopy: 5" w 1" d  
mm: 127 w 25 d

Shown with optional 60W  
Early Electric Lamps



## F2773

Shown as semi-flush  
14¼" h / 362 mm



# TOLEDO

## F2774

14" w 6¾" h 56" max ht  
mm: 356 w 171 h 1422 max ht

Canopy: 6" w 1" d  
mm: 152 w 25 d

1 - 100W med base

Shown with optional 60W  
Early Electric Lamps



## B2772

14" w 17¼" h 16¾" p 3" tcd  
mm: 356 w 438 h 425 p 76 tcd

Backplate: 6" w 1" d  
mm: 152 w 25 d

1 - 100W med base

Shown with optional 60W  
Early Electric Lamps



## F2774

Shown as semi-flush

14¼" h / 362 mm

### APPLICATION

Indoor / Outdoor

### FINISH

Old Silver

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 60W med base Early Electric LED Lamps

400lm 2200K 120V





# GOTHAM

## F4426

51¾" w 53½" h  
mm: 1314 w 1359 h

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

20 - 40W med base

Shown with optional 40W  
Early Electric Lamps



### GLASSWARE

Smoked Glass

### METALWORK

Hand-wrought Wrought Iron

### FINISH

Aged Silver

### OPTIONAL LAMP INFORMATION

LB-40-T10-12 Twelve-pack 40W med base Early Electric Lamps

LB-6W-5.5-12 Twelve-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V



# GOTHAM



## **B4421**

5½" w 19" h 7¾" p 4¼" tcd  
mm: 140 w 483 h 197 p 108 tcd

Backplate: 5¼" w 8¾" h ¾" d  
mm: 133 w 222 h 19 d

1 - 60W med base

Shown with optional 60W  
Early Electric Lamp

## **F4425**

38¼" w 38" h  
mm: 972 w 965 h

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

12 - 60W med base

Shown with optional 60W  
Early Electric Lamps



### **GLASSWARE**

Smoked Glass

### **METALWORK**

Hand-worked Wrought Iron

### **FINISH**

Aged Silver

### **OPTIONAL LAMP INFORMATION**

LB-40-T10-12 Twelve-pack 40W med base Early Electric Lamps

LB-6W-5.5-12 Twelve-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V





# McCOY



## **B5421**

10" w 12½" h 11" p ¾" tcd  
mm: 254 w 318 h 279 p 83 tcd

Backplate: 4½" w 6" h ¾" d  
mm: 114 w 152 h 19 d

1 - 60W med base

Shown with optional 60W med base  
Early Electric Lamps



## **F5427**

34" w 18¼" h  
mm: 864 w 464 h

Canopy: 6" w ¾" d  
mm: 152 w 19 d

4 - 60W med base

Lamps not included in measurement

Shown with optional 60W med base  
Early Electric Lamps

# McCOY

## F5422

14" w 5¾" h 10' max ht  
mm: 356 w 146 h 3048 max ht

Canopy: 8" w ¾" d  
mm: 204 w 19 d

1 - 60W med base

Lamps not included in measurement

Shown with optional 60W med base  
Early Electric Lamps

## F5424


46" w 20" h  
mm: 1168 w 508 h

Canopy: 10" l 5" w ¾" d  
mm: 254 l 127 w 19 d

2 - 60W med base

Lamps not included in measurement

Shown with optional 60W med base  
Early Electric Lamps



### METALWORK

Hand-worked Iron

### FINISH

Vintage Bronze

### SUSPENSION

10' Fabric-covered Cord

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V







# ATLAS

**F3838**

22" w 49¼" h  
mm: 559 w 1251 h

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

8 - 60W med base T-lamp



**METALWORK**

Hand-wrought Iron and Cast Aluminum

**FINISH**

Aged Pewter

# ATLAS

## F3834

16½" w 38¼" h  
mm: 419 w 972 h

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

4 - 60W med base T-lamp



## B3831

5¼" w 13½" h 4" p ADA  
mm: 133 w 343 h 102 p

Backplate: 4¾" w ¾" d  
mm: 121 w 19 d

1 - 60W med base T-lamp



# ATLAS

## F3833

12" w 26 $\frac{3}{4}$ " h  
mm: 305 w 679 h

Canopy: 6" w 1 $\frac{1}{4}$ " d  
mm: 152 w 32 d

3 - 60W cand base

Shown with 40W optional  
Early Electric Lamps



## B3832

5 $\frac{1}{4}$ " w 21 $\frac{3}{4}$ " h 4" p ADA  
mm: 133 w 552 h 108 p

Backplate: 4 $\frac{3}{4}$ " w 3 $\frac{1}{4}$ " d  
mm: 121 w 19 d

2 - 60W med base T-lamp

### METALWORK

Hand-wrought Iron and Cast Aluminum

### FINISH

Aged Pewter

### OPTIONAL LAMP INFORMATION (F3833)

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps

180 lm 2200K 120V







# MENLO PARK

**F6057** DEEP BRONZE (SHOWN)

**F3137** OLD SILVER

42½" w 36¼" h

mm: 1080 w 921 h

Canopy: 5¼" w ¾" d

mm: 130 w 19 d

10 - 60W cand base

Shown with optional  
Early Electric Lamps



**B3971** DEEP BRONZE (SHOWN)

**B3131** OLD SILVER

5¾" w 14" h 8½" p

mm: 146 w 356 h 216 p

Back plate: 4¾" w 6" h 1" d

mm: 121 w 153 h 26 d

1 - 60W cand base

Shown with optional  
Early Electric Lamps



## GLASSWARE

Historic Pressed Clear

## METALWORK

Hand-worked Iron, Stainless Steel, Solid Brass

## FINISH

Deep Bronze

Old Silver

## OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps  
(not included)

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180lm 2200K 120V

# MENLO PARK

**F3136** OLD SILVER (SHOWN)

**F6056** DEEP BRONZE

32 $\frac{3}{4}$ " w 30 $\frac{1}{4}$ " h  
mm: 832 w 768 h

Canopy: 5 $\frac{1}{4}$ " w 3 $\frac{3}{4}$ " d  
mm: 130 w 19 d

8 - 60W cand base

Shown with optional  
Early Electric Lamps

**B3131** OLD SILVER (SHOWN)

**B3971** DEEP BRONZE

5 $\frac{3}{4}$ " w 14" h 8 $\frac{1}{2}$ " p  
mm: 146 w 356 h 216 p

Backplate: 4 $\frac{3}{4}$ " w 6" h 1 $\frac{1}{4}$ " d  
mm: 121 w 153 h 32 d

1 - 60W cand base

Shown with optional  
Early Electric Lamps





# MENLO PARK

**F6055 DEEP BRONZE (SHOWN)**

**F3135 OLD SILVER**

25½" w 27¾" h  
mm: 648 w 705 h

Canopy: 5¼" w ¾" d  
mm: 130 w 19 d

5 - 60W cand base

Shown with optional  
Early Electric Lamps



**F3132 OLD SILVER**

**F6052 DEEP BRONZE**

5¾" w 10" h  
mm: 146 w 254 h

12" min ht - 130" max ht  
mm: 305 min ht - 3302 max ht

Canopy: 5¼" w 1" d  
mm: 130 w 25 d

1 - 60W cand base

Shown with optional  
Early Electric Lamps



**GLASSWARE**

Historic Pressed Clear

**METALWORK**

Hand-worked Iron, Stainless Steel, Solid Brass

**FINISH**

Deep Bronze

Old Silver

**OPTIONAL LAMP INFORMATION**

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps  
(not included)

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180lm 2200K 120V

**F3133 OLD SILVER (SHOWN)**

**F6053 DEEP BRONZE**

13¾" w  
mm: 349 w

Canopy: 10¾" w 1" d  
mm: 273 w 22 d

24" min ht - 130" max ht  
mm: 610 min ht - 3302 max ht

3 - 60W cand base

Shown with optional  
Early Electric Lamps



# MENLO PARK

**F3138** OLD SILVER (SHOWN)

**F6058** DEEP BRONZE

44½" l 5¾" w 42" h

mm: 1130 l 146 w 1067 h

Canopy: 13¾" l 5¼" w 1" h

mm: 345 w 130 d 22 h

32" min ht - 120" max ht

mm: 813 min ht - 3048 max ht

5-60W cand base

Shown with optional  
Early Electric Lamps



**GLASSWARE**

Historic Pressed Clear

**METALWORK**

Hand-worked Iron, Stainless Steel, Solid Brass

**FINISH**

Deep Bronze

Old Silver

**OPTIONAL LAMP INFORMATION**

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps  
(not included)

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180 lm 2200K 120V







# STREET ART

## F4764

18" w 20" h

mm: 457 w 508 h

Canopy: 5¾" w 1¼" d

mm: 146 w 32 d

4 - 60W cand base



## F4766

32" w 35" h

mm: 813 w 889 h

Canopy: 6½" w 1¼" d

mm: 165 w 32 d

6 - 60W med base





# STREET ART



## **B4762**

8" w 15" h 3½" p 7½" tcd  
mm: 203 w 381 h 89 p 191 tcd

Backplate: 5" w 12" h ¾" d  
mm: 127 w 305 h 19 d

2 - 60W cand base



## **C4760**

18" w 8½" h  
mm: 457 w 216 h

Canopy: 11" w 1¼" d  
mm: 279 w 32 d

4 - 60W cand base



## **F4765**

25" w 28" h  
mm: 635 w 711 h

Canopy: 6½" w 1¼" d  
mm: 165 w 32 d

5 - 60W med base

## **METALWORK**

Hand-worked Wrought Iron

## **FINISH**

Weathered Galvanized  
with Street Art Interior







# CANARY WHARF



## **B4242**

14" w 16" h 14½" p 3" tcd  
mm: 356 w 406 h 368 p 76 tcd

Backplate: 6" w 1¼" d  
mm: 152 w 32 d

1 - 60W med base

Shown with optional 60W  
Early Electric Lamps

## **F4248**

44" l 14" w 14½" h 63¾" max ht  
mm: 1118 l 356 w 368 h 1619 max ht

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

2 - 60W med base

Shown with optional 60W  
Early Electric Lamps



## **APPLICATION**

Indoor / Outdoor

## **GLASSWARE**

Clear Pressed Glass

## **METALWORK**

Hand-crafted Iron

## **FINISH**

Burnt Sienna

## **SUSPENSION**

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457

## **OPTIONAL LAMP INFORMATION**

LB-60-T10-12 Twelve-pack 60W med base Early Electric Lamps

LB-40-T10-12 Twelve-pack 40W med base Early Electric Lamps

LB-6W-5.5-12 Twelve-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V

# CANARY WHARF

## F4247

36½" w 34½" h 8¾" max ht  
mm: 927 w 876 h 2127 max ht

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

5 - 60W med base

Shown with optional 60W  
Early Electric Lamps



## B4241

11½" w 14½" h 13" p 3" tcd  
mm: 292 w 368 h 330 p 76 tcd

Backplate: 6" w 1¼" d  
mm: 152 w 32 d

1 - 60W med base

Shown with optional 60W  
Early Electric Lamps





# CANARY WHARF

## F4246

30" w 23" h 72¼" max ht  
mm: 762 w 584 h 1835 max ht

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

3 - 60W med base

Shown with optional 60W  
Early Electric Lamps



## F4244

14" w 13" h 62¼" max ht  
mm: 356 w 330 h 1581 max ht

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

1 - 60W med base

Shown with optional 60W  
Early Electric Lamps



### APPLICATION

Indoor / Outdoor

### GLASSWARE

Clear Pressed Glass

### METALWORK

Hand-crafted Iron

### FINISH

Burnt Sienna

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457

### OPTIONAL LAMP INFORMATION

LB-60-T10-12 Twelve-pack 60W med base Early Electric Lamps  
LB-40-T10-12 Twelve-pack 40W med base Early Electric Lamps  
LB-6W-5.5-12 Twelve-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V



## F4243

11½" w 11" h 60¼" max ht  
mm: 292 w 279 h 1530 max ht

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

1 - 60W med base

Shown with optional 60W  
Early Electric Lamps






# RALEIGH

## F2946

6½" w 11¼" h 60¾" oah  
mm: 165 w 298 h 1543 oah

Canopy: 5" w 1¼" d  
mm: 127 w 32 d

1 - 100W med base




## F2947

10" w 17" h 66" oah  
mm: 254 w 432 h 1676 oah

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

1 - 100W med base



### APPLICATION

Indoor / Outdoor

### FINISH

Old Silver

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18" mm: 1-152, 2-305, 1-457

# RALEIGH

## F2948

48" l 10"w 17½" h 66½" oah

mm: 1219 l 254 w 445 h 1689 oah

Canopy: 6" w 1¼" d

mm: 152 w 32 d

3 -100W med base





# RALEIGH

## B2942

10" w 19" h 11½" p 3" tcd  
mm: 254 w 483 h 292 p 76 tcd

Backplate: 6" w 1¼" d  
mm: 152 w 32 d

1 - 100W med base



## B2941

6½" w 13¼" h 8" p 2½" tcd  
mm: 165 w 337 h 203 p 64 tcd

Backplate: 5" w 1¼" d  
mm: 127 w 32 d

1 - 100W med base



### APPLICATION

Indoor / Outdoor

### FINISH

Old Silver

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18" mm: 1-152, 2-305, 1-457

# PEARL STREET



## B4351

6" w 11" h 7" p 2¾" tcd  
mm: 152 w 279 h 178 p 70 tcd

Backplate: 5¼" w 1¼" d  
mm: 133 w 32 d

1 - 100W med base

## F4358

10½" w 13¾" h 63½" max ht  
mm: 267 w 349 h 1613

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

1 - 100W med base

### APPLICATION

Indoor / Outdoor

### GLASSWARE

Clear Pressed Glass, Frosted Inside

### METALWORK

Solid Aluminum

### FINISH

Charred Zinc

### SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457



## F4357

8¼" w 11" h 60¾" max ht  
mm: 210 w 279 h 1543 max ht

Canopy: 5¼" w 1¼" d  
mm: 133 w 32 d

1 - 100W med base



# PEARL STREET

## F4359

40" l 10½" w 15½" h 65¼" max ht  
mm: 1016 l 267 w 394 h 1657 max ht

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

2 - 100W med base



## B4352

8¼" w 13¾" h 9¾" p 2¾" tcd  
mm: 210 w 349 h 248 p 70 tcd

Backplate: 5¼" w 1¼" d  
mm: 133 w 32 d

1 - 100W med base

### APPLICATION

Indoor / Outdoor

### GLASSWARE

Clear Pressed Glass, Frosted Inside

### METALWORK

Solid Aluminum

### FINISH

Charred Zinc

### SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"; mm: 1-152, 2-305, 1-457





# COPPER MOUNTAIN

## **F3105**

26" w 16" h  
mm: 660 w 406 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

6 - 60W cand base

### **STEM-TO-CHAIN SUSPENSION**

12" / 305 mm stem not included  
in measurements.  
Use of stem is optional.



### **GLASSWARE**

Silver Mica

### **METALWORK**

Hand-worked Wrought Iron

### **FINISH**

Copper Mountain Bronze

# COPPER MOUNTAIN

## F3104

21" w 37" h  
mm: 533 w 940 h

Canopy: 5 1/4" w 3/4" d  
mm: 130 w 19 d

8 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not  
included in measurements.  
Use of stem is optional.



## F3102


8 1/2" w 16 1/2" h  
mm: 216 w 419 h

Canopy: 5 1/4" w 3/4" d  
mm: 130 w 19 d

1 - 100W med base

### STEM-TO-CHAIN SUSPENSION

6" / 152 mm stem not  
included in measurements.  
Use of stem is optional.





# COPPER MOUNTAIN

## C3100

14" w 12" h  
mm: 356 w 305 h

Canopy: 10" w 1" d  
mm: 251 w 25 d

4 - 60W cand base



## B3101

8½" w 14" h 4½" p  
mm: 216 w 356 h 114 p

Backplate: 4¾" w 13½" h ½" d  
mm: 121 w 343 h 13 d

2 - 60W cand base



## F3103

18" w 32" h  
mm: 457 w 813 h

Canopy: 5 ¼" w ¾" d  
mm: 130 w 19 d

8 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not  
included in measurements.  
Use of stem is optional.



### GLASSWARE

Silver Mica

### METALWORK

Hand-worked Wrought Iron

### FINISH

Copper Mountain Bronze





# BREWERY

## F6126

26" w 22" h  
mm: 660 w 559 h

Canopy: 6" w 1" d  
153 w 26 d

1 - 60W med base



## F6125

20" w 17¾" h  
mm: 508 w 451 h

Canopy: 6" w 1" d  
153 w 26 d

1 - 60W med base



## GLASSWARE

Gloss Opal

## METALWORK

Hand-worked Iron

## FINISH

Vintage Patina Bronze





# BUXTON

**F4465**

22¼" w 33¾" h  
mm: 565 w 857 h

Canopy: 5¼" w 1¼" d  
mm: 133 w 32 d

8 - 60W cand base

**SHADE**

Hardback Linen

**METALWORK**

Hand-worked Wrought Iron

**FINISH**

Vintage Bronze

# BUXTON

## F4464

18" w 27" h  
mm: 457 w 686 h

Canopy: 5¼" w 1¼" d  
mm: 133 w 32 d

6 - 60W cand base



## C4460

13" w 8¾" h  
mm: 330 w 222 h

Canopy: 9½" w ¾" d  
mm: 241 w 19 d

3 - 60W cand base



## B4462

8¾" w 13" h 5" p 6½" tcd  
mm: 222 w 330 h 127 p 165 tcd

Backplate: 8¾" w 12¾" h ½" d  
mm: 222 w 324 h 13 d

2 - 40W cand base



# BUXTON

## F4466

25½" w 17½" h  
mm: 648 w 445 h

Canopy: 5¼" w 1¼" d  
mm: 133 w 32 d

6 - 60W cand base



## F4463

13" w 20½" h  
mm: 330 w 521 d

Canopy: 5¼" w 1¼" d  
mm: 133 w 32 d

3 - 60W cand base

### SHADE

Hardback Linen

### METALWORK

Hand-worked Wrought Iron

### FINISH

Vintage Bronze







# RISE AND SHINE

**F5265**

32" w 25 $\frac{3}{4}$ " h  
mm: 813 w 654 h

Canopy: 6 $\frac{3}{4}$ " w 3 $\frac{3}{4}$ " d  
mm: 171 w 19 d

5 - 60W med base



**METALWORK**

Hand-worked Iron

**FINISH**

Rust Patina

# RISE AND SHINE

## F5263

18" w 15¼" h  
mm: 457 w 387 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

3 - 60W med base



## F5264

26" w 20¾" h  
mm: 660 w 527 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

4 - 60W med base



**METALWORK**  
Hand-worked Iron

**FINISH**  
Rust Patina







# VILLAGE TAVERN

## F4847

22" w 32" h  
mm: 559 w 813 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

8 - 60W cand base

Shown with optional 40W  
Early Electric Lamps

### STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not  
included in measurements.  
Use of stem is optional.



## B4842

7¾" w 11" h 4"p ADA 5½" tcd  
mm: 197 w 279 h 102 p 140 tcd

Backplate: 7¼" w 11" h ½" d  
mm: 184 w 279 h 13 d

2 - 60W cand base

Shown with optional 40W  
Early Electric Lamps



# VILLAGE TAVERN

## F4846

18" w 25½" h  
mm: 457 w 648 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

6 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not included in measurements. Use of stem is optional.



## F4844

7" w 14½" h  
mm: 178 w 368 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

1 - 60W med base

Shown with optional 60W  
Early Electric Lamps

### STEM-TO-CHAIN SUSPENSION

6" / 152 mm stem not included in measurements. Use of stem is optional.



### METALWORK

Hand-worked Iron

### FINISH

Old Tavern Iron

### OPTIONAL LAMP INFORMATION

- LB-60-6 Six-pack 60W med base Early Electric Lamps
- LB-6W-12 Twelve-pack 6W med base Early Electric LED Lamps  
400 lm 2200K 120V
- LB-40-12 Twelve-pack 40W med base Early Electric Lamps
- LB-3W-12 Twelve-pack 3W med base Early Electric LED Lamps  
180lm 2200K 120V

# VILLAGE TAVERN



## **F4848**

25" w 16½" h  
mm: 635 w 419 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

6 - 60W cand base

### **STEM-TO-CHAIN SUSPENSION**

12" / 305 mm stem not included in measurements. Use of stem is optional.

## **C4840**

13" w 9½" h  
mm: 330 w 241 h

Canopy: 12¾" w 1" d  
mm: 324 w 25 d

3 - 60W cand base

Shown with optional 40W  
Early Electric Lamps



### **METALWORK**

Hand-wrought Iron

### **FINISH**

Old Tavern Iron

### **OPTIONAL LAMP INFORMATION**

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180lm 2200K 120V





# PIKE PLACE

## F3127

42" w 32½" h  
mm: 1067 w 826 h

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

16 - 60W cand base  
40W Early Electric Lamps included





# PIKE PLACE

## F3128

32" w 33½" h  
mm: 813 w 851 h

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

18 - 40W cand base  
40W Early Electric Lamps included



### METALWORK

Hand-worked Wrought Iron

### SUSPENSION

Natural Manila Rope

### FINISH

Shipyards Bronze

### REPLACEMENT LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180lm 2200K 120V





# PIKE PLACE

## F3125

25" w 23" h  
mm: 635 w 584 h

Canopy: 5½" w ¾" d  
mm: 133 w 19 d

8 - 60W cand base  
40W Early Electric Lamps included



## B3122

9" w 14½" h 4½" p  
mm: 229 w 368 h 114 p

Backplate: 5" w ¾" d  
mm: 127 w 19 d

2 - 60W cand base  
40W Early Electric Lamps included



### METALWORK

Hand-worked Wrought Iron

### SUSPENSION

Natural Manila Rope

### FINISH

Shipyards Bronze

### REPLACEMENT LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180lm 2200K 120V

# PIKE PLACE

## F3126

32" w 26½" h  
mm: 813 w 673 h

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

12 - 60W cand base  
40W Early Electric Lamps included



## B3121

4¼" w 7¼" h 2½" p  
mm: 108 w 184 h 64 p

Backplate: 4¼" w 7¼" h ¾" d  
mm: 108 w 181 h 19 d

1 - 60W cand base  
40W Early Electric Lamps included

### METALWORK

Hand-worked Wrought Iron

### SUSPENSION

Natural Manila Rope

### FINISH

Shipyards Bronze

### REPLACEMENT LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180lm 2200K 120V





# MURPHY

## F4907

32" w 33" h  
mm: 813 w 838 h

Canopy: 4½" w 1½" d  
mm: 114 w 13 d

1 - 60W med base



## F4904

9" w 33" h  
mm: 229 w 838 h

Canopy: 4½" w 1½" d  
mm: 114 w 13 d

1 - 60W med base





# MURPHY

## F4906

24" w 28" h  
mm: 610 w 711 h

Canopy: 4½" w 1½" d  
mm: 114 w 13 d

1 - 60W med base



## F4905

13½" w 40" h  
mm: 343 w 1016 h

Canopy: 4½" w 1½" d  
mm: 114 w 13 d

1 - 60W med base



### GLASSWARE

Hand-blown Seeded Glass

### METALWORK

Hand-worked Iron

### FINISH

Vintage Iron with Manila Rope and Rustic Wood

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400lm 2200K 120V





# VINEYARD

## F4857

22½" w 33" h  
mm: 572 w 838 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

8 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

10" / 254 mm stem not included  
in measurements.

Use of stem is optional.



### METALWORK

Hand-worked Iron

### FINISH

Rusty Iron with Salvaged Wood

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps

180lm 2200K 120V

# VINEYARD



## **F4856**

18½" w 28½" h  
mm: 470 w 724 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

6 - 60 cand base

### **STEM-TO-CHAIN SUSPENSION**

8½" / 216 mm stem not included in measurements. Use of stem is optional.

## **F4855**

13½" w 21" h  
mm: 343 w 533 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

3 - 60 cand base

### **STEM-TO-CHAIN SUSPENSION**

6¾" / 171 mm stem not included in measurements. Use of stem is optional.





# VINEYARD

## F4858

26¼" w 16" h  
mm: 667 w 406 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

6 - 60 cand base

### STEM-TO-CHAIN SUSPENSION

6½" / 165 mm stem not included in measurements. Use of stem is optional.



## B4852

8¼" w 13" h 4" p ADA 6½" tcd  
mm: 210 w 330 h 102 p 165 tcd

Backplate: 7" w 13" h ½" d  
mm: 178 w 330 h 13 d

2 - 60 cand base



### METALWORK

Hand-worked Iron

### FINISH

Rusty Iron with Salvaged Wood

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps

180lm 2200K 120V





# FLATIRON

## F2511WI

10" w 11¼" h  
mm: 254 w 298 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

1 - 60W med base

Shown with optional  
Early Electric Lamp



## F2518WI

30" w 32¾" h  
mm: 762 w 832 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

12 - 60W cand base

Shown with optional  
Early Electric Lamps



### METALWORK

Hand-worked Wrought Iron

### FINISH

Weathered Iron

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W med base Early Electric LED Lamps  
400 lm 2200K 120V

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400 lm 2200K 120V

# FLATIRON

## F2516WI

24" w 26¾" h  
mm: 610 w 679 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

6 - 60W cand base



## F2514WI

18½" w 20¾" h  
mm: 470 w 527 h

Canopy: 5¼" w ¾" d  
mm: 133 w 19 d

4 - 60W cand base

Shown with optional  
Early Electric Lamps



### METALWORK

Hand-worked Wrought Iron

### FINISH

Weathered Iron

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W med base Early Electric LED Lamps  
400 lm 2200K 120V







# BROOKLYN

## F3147

32" w 10½" h  
mm: 813 w 267 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

5 - 60W med base  
Early Electric Lamps included

### STEM-TO-CHAIN SUSPENSION

18" (457 mm) stem not included  
in measurement



## B3142

12" w 12" h 13½" p  
mm: 305 w 305 h 343 p

Backplate: 6" w 1" d  
mm: 152 w 25 d

1 - 60W med base  
Early Electric Lamp included





# BROOKLYN

## F3146

26" w 9¼" h  
mm: 660 w 235 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

4 - 60W med base  
Early Electric Lamps included

### STEM-TO-CHAIN SUSPENSION

18" (457 mm) stem not included  
in measurement

## B3141

7" w 14¼" h 4" p  
mm: 178 w 362 h 102 p

Backplate: 4¼" w 9¼" h 1" d  
mm: 108 w 235 h 25 d

1 - 60W med base  
Early Electric Lamp included



### GLASSWARE

Antique Mirror

### METALWORK

Hand-worked Iron with Lower Case Stem Wound  
Natural Manila Rope

### FINISH

Brooklyn Bronze

### REPLACEMENT LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps  
LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400 lm 2200K 120V

# BROOKLYN

## F3145

18" w 8¼" h  
mm: 457 w 210 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

3 - 60W med base  
Early Electric Lamps included

### STEM-TO-CHAIN SUSPENSION

13½" (343 mm) stem not  
included in measurement



## F3144


12" w 8¼" h  
mm: 305 w 210 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

1 - 60W med base  
Early Electric Lamps included

### STEM-TO-CHAIN SUSPENSION

13" (330 mm) stem not  
included in measurementt



### GLASSWARE

Antique Mirror

### METALWORK

Hand-worked Iron with Lower Case Stem Wound  
Natural Manila Rope

### FINISH

Brooklyn Bronze

### REPLACEMENT LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400 lm 2200K 120V







# OUTER BANKS

## F4756

35" w 27½" h min 76" max ht

mm: 889 w 699 h min 1930 max ht

Canopy: 6" w 2" d

mm: 152 w 51 d

13 - 60W med base

Shown with optional 6W

Early Electric LED Lamps





# OUTER BANKS

## F4753

8" w 10¼" h min 89" max ht  
mm: 203 w 260 h min 2261 max ht

Canopy: 6" w 1" d  
mm: 152 w 25 d

1 - 60W med base

Shown with optional 6W  
Early Electric LED Lamps



## F4755

24¼" w 23" h min 76" max ht  
mm: 616 w 584 h min 1905 max ht

Canopy: 6" w 1" d  
mm: 152 w 25 d

7 - 60W med base

Shown with optional 6W  
Early Electric LED Lamps



### GLASSWARE

Smoke Glass

### METALWORK

Hand-worked Wrought Iron

### FINISH

Shipyards Bronze

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400 lm 2200K 120V

# OUTER BANKS

## F4754

17" w 18" h min 76" max ht  
mm: 432 w 457 h min 1905 max ht

Canopy: 6" w 1" d  
mm: 152 w 25 d

3 - 40W med base

Shown with optional 6W  
Early Electric LED Lamps



## B4751

8½" w 16¾" h 8½" p 3" tcd  
mm: 216 w 425 h 216 p 76 tcd

Backplate: 6" w ¾" d  
mm: 152 w 19 d

1 - 60W med base

Shown with optional 6W  
Early Electric LED Lamps

### GLASSWARE

Smoke Glass

### METALWORK

Hand-worked Wrought Iron

### FINISH

Shipyards Bronze

### OPTIONAL LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400 lm 2200K 120V







# MERCHANT STREET

**F4068**

22" w 44½" h

mm: 559 w 1130 h

Canopy: 5" w ¾" d

mm: 127 w 19 d

8 - 60W cand base





# MERCHANT STREET

## F4066

16¾" w 33½" h  
mm: 425 w 851 h

Canopy: 5" w ¾" d  
mm: 127 w 19 d

6 - 60W cand base  
Shown with optional 40W  
Flame Tip Early Electric Lamps



## B4062

8" w 13½" h 4½" p  
mm: 203 w 343 h 114 p

Backplate: 6" w 11¼" h ½" d  
mm: 152 w 286 h 13 d

2 - 60W cand base

Shown with optional 40W  
Flame Tip Early Electric Lamps

### METALWORK

Hand-worked Iron

### FINISH

Rusty Iron with Salvaged Wood Slats

### SHADE

Iron Mesh

### OPTIONAL LAMP INFORMATION

LB-40-FT-12 Twelve-pack 40W cand base  
Flame Tip Early Electric Lamps

# MERCHANT STREET



## C4060

14" w 6½" h  
mm: 356 w 165 h

Canopy: 13" w ¾" d  
mm: 330 w 19 d

3 - 60W cand base

## F4063

12" w 26" h  
mm: 305 w 660 h

Canopy: 5" w ¾" d  
mm: 127 w 19 d

3 - 60W cand base

Shown with optional 40W  
Flame Tip Early Electric Lamps



## METALWORK

Hand-worked Iron

## FINISH

Rusty Iron with Salvaged Wood Slats

## SHADE

Iron Mesh

## OPTIONAL LAMP INFORMATION

LB-40-FT-12 Twelve-pack 40W cand base  
Flame Tip Early Electric Lamps







# EMBARCADERO

**F4157**

42½" w 31" h


mm: 1080 w 787 h

Canopy: 6" w 1¼" d

mm: 152 w 32 d

12 - 60W cand base

Shown with optional  
Early Electric Lamps





# EMBARCADERO

## F4158

30" w 34½" h  
mm: 762 w 629 h

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

8+4 - 60W cand base

Shown with optional  
Early Electric Lamps



### GLASSWARE

Solid Ribbed Clear Glass

### METALWORK

Hand-worked Wrought Iron

### FINISH

Shipyards Bronze with Antique Manila Rope

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W med base Early Electric LED Lamps  
180 lm 2200K 120V

# EMBARCADERO

## F4155

25¼" w 21½" h  
mm: 641 w 546 h

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

6 - 60W cand base

Shown with optional  
Early Electric Lamps



## B4151

5¼" w 8½" h 5½" p  
mm: 133 w 216 h 140 p

Backplate: 5" w 1" d  
mm: 127 w 25 d

1 - 60W cand base



## F4156

30" w 24¾" h  
mm: 762 w 629 h

Canopy: 6" w 1¼" d  
mm: 152 w 32 d

8 - 60W cand base

Shown with optional  
Early Electric Lamps



## GLASSWARE

Solid Ribbed Clear Glass

## METALWORK

Hand-worked Wrought Iron

## FINISH

Shipyards Bronze with Antique Manila Rope

## OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W med base Early Electric LED Lamps  
180 lm 2200K 120V





# STIX



## B5331

8¼" w 12¼" h 4½" p 6¼" tcd  
mm: 210 w 311 h 114" 159 tcd

Backplate: 6½" w 12¼" h ½" d  
mm: 165 w 311 h" 13 d

2 - 60W cand



## F5337

32" w 31¼" h  
mm: 813 w 806 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

8 - 60W cand



# STIX

## F5335

18¼" w 25¾" h  
mm: 464 w 654 h

Canopy: 5¼" w 1" d  
mm: 133 w 25 d

4 - 60W cand



## F5336

24" w 28¾" h  
mm: 610 w 730 h

Canopy: 5¼" w 1" d  
mm: 133 w 25 d

6 - 60W cand



### METALWORK

Hand-worked Iron

### FINISH

Antique Gold Leaf

# PIER 39

## F3623

9" w 15½" h  
mm: 229 w 394 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

3 - 60W cand base

Shown with optional  
Flame Tip Early Electric Lamps

**STEM-TO-CHAIN SUSPENSION**  
12" (305 mm) stem not  
included in measurement



## F3622

5" w 9" h  
mm: 127 w 229 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

1 - 60W cand base

Shown with optional  
Flame Tip Early Electric Lamp

**STEM-TO-CHAIN SUSPENSION**  
7¾" (197 mm) stem not  
included in measurement



## B3621

5" w 17¾" h 6¾" p  
mm: 127 w 451 h 171 p

Backplate: 4¾" w 8" h ¾" d  
mm: 121 w 203 h 19 d

1 - 60W cand base

Shown with optional  
Flame Tip Early Electric Lamp



### GLASSWARE

Clear Antique Glass

### METALWORK

Hand-worked Wrought Iron

### SUSPENSION

Natural Manila Rope

### FINISH

Shipyards Bronze

### OPTIONAL LAMP INFORMATION

LB-40-FT-12 Twelve-pack 40W cand base Flame Tip Early Electric Lamps





# PALISADE

**F5948**

22" w 46½" h

mm: 559 w 1181 h

Canopy: 6" w ¾" d

mm: 152 w 19 d

8 - 60W cand base





# PALISADE

## F5944

18" w 38¼" h  
mm: 454 w 972 h

Canopy: 6" w ¾" d  
mm: 152 w 19 d

4 - 60W cand base



## B5942

10" w 14" h 5¼" p 7" tcd  
mm: 254 w 356 h 134 p 178 tcd

Backplate: 10" w 10" h 1¼" d  
mm: 254 w 10 h 32 d

2 - 60W cand base

## SHADE

Hardback Linen

## METALWORK

Hand-worked Iron

## FINISH

Aged Pewter

# PALISADE

## F5946

29" w 25¼" h  
mm: 737 w 642 h

Canopy: 6" w ¾" d  
mm: 152 w 19 d

6 - 60W cand base



## C5940

14" w 11¼" h  
mm: 356 d 283 h

Canopy: 8" w ¾" d  
mm: 200 w 19 d

3 - 60W cand base

**SHADE**  
Hardback Linen  
**METALWORK**  
Hand-worked Iron  
**FINISH**  
Aged Pewter





# LYON

## F2718

47" l 15" w 12" h 60" max ht  
mm: 1194 l 381 w 305 h max ht

Canopy: 8 $\frac{3}{4}$ " l 4 $\frac{3}{4}$ " w 3 $\frac{1}{4}$ " d  
mm: 219 l 117 w 19 d

10 - 40W cand base





# LYON

**F2717**

48" w 44" h

mm: 1219 w 1118 h

Canopy: 6" w 3/4" d

mm: 149 w 19 d

18 - 40W cand base

**SHADE**

Hardback Linen

**METALWORK**

Hand-forged Iron

**FINISH**

Burnt Sienna

# LYON

**F2716**

48" w 35" h

mm: 1219 w 889 h

Canopy: 6" w 3/4" d

mm: 149 w 19 d

12 - 40W cand base





# LYON

## B2711

5" w 24½" h 8¾" p 14¼" tcd  
mm: 127 w 622 h 222 p 362 tcd

Backplate: 6¼" h 4½" w ¾" d  
mm: 159 w 115 w 19 d

1 - 40W cand base



## F2715

33" w 26" h  
mm: 838 w 660 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

8 - 40W cand base



### SHADE

Hardback Linen

### METALWORK

Hand-forged Iron

### FINISH

Burnt Sienna







# CYRANO

**F6118**

48" w 42½" h

mm: 1219 w 1076 h

Canopy: 6" w 1½" d

mm: 152 w 38 d

24 - 25W cand base

**METALWORK**

Hand-worked Iron with Natural Manila Rope

**FINISH**

Earthen Bronze

# CYRANO

**F6117**

36" w 27½" h

mm: 914 w 699 h

Canopy: 6" w 1½" d

mm: 152 w 38 d

12 - 60W cand base





# CYRANO

## F6116

28¼" w 22½" h  
mm: 718 w 572 h

Canopy: 6" w 1½" d  
mm: 152 w 38 d

8 - 60W cand base



## B6111

5" w 14" h 6" p 11½" tcd  
mm: 127 w 356 h 152 p 292 tcd

Backplate: 5" w 1½" d  
mm: 127 w 38 d

1 - 60W cand base



## B6112

10¾" w 13¼" h 5¾" p 10¾" tcd  
mm: 273 w 333 h 146 p 270 tcd

Backplate: 5" w 1½" d  
mm: 127 w 38 d

2 - 60W cand base



### METALWORK

Hand-worked Iron with Natural Manila Rope

### FINISH

Earthen Bronze





# MAI TAI

**F6108**

21¾" w 35" h  
mm: 552 w 889 h

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

8 - 60W cand base

**STEM-TO-CHAIN SUSPENSION**

10" / 254 mm stem  
not included in  
measurements.  
Use of stem is optional.

**SHADE**

Hardback Linen

**METALWORK**

Hand-worked Iron

**FINISH**

Cottage Bronze

# MAI TAI

## F6106

18" w 31" h  
mm: 457 w 788 h

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

6 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

8" / 204 mm

stem not included  
in measurements.

Use of stem is optional.



## B6101

7½" w 14¾" h 4¼" p 7½" tcd  
mm: 191 w 375 h 108 p 187 tcd

Backplate: 6" w 11¼" h ½" d  
mm: 152 w 283 h 13 d

1 - 60W cand base

### GLASSWARE

Natural Linen Glass



# MAI TAI

## F6104

13 $\frac{3}{4}$ " w 22 $\frac{1}{2}$ " h  
mm: 349 w 572 h

Canopy: 5 $\frac{1}{2}$ " w  $\frac{3}{4}$ " d  
mm: 140 w 19 d

4 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

6" / 153 mm

stem not included  
in measurements.

Use of stem is optional.



## C6100

14" w 12 $\frac{1}{2}$ " h  
mm: 356 w 314 h

Canopy: 6 $\frac{1}{2}$ " w  $\frac{3}{4}$ " d  
mm: 165 w 19 d

3 - 60W cand base

### SHADE

Hardback Linen

### METALWORK

Hand-worked Iron

### FINISH

Cottage Bronze

# MAI TAI

**F6107**

24½" w 20½" h  
mm: 662 w 521 h

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

6 - 60W cand base

**STEM-TO-CHAIN SUSPENSION**

10" / 254 mm

stem not included  
in measurements.

Use of stem is optional.β

**SHADE**

Hardback Linen

**METALWORK**

Hand-worked Iron

**FINISH**

Cottage Bronze





# LINK

## F2876

32" w 38½" h  
mm: 813 w 978 h

Canopy: 6" w 1½" d  
mm: 152 w 13 d

4 - 60W med base

## FF2876

4 - 18W GU24 CFL (included)



## B2872

13" w 19" h 5" p 8" tcd  
mm: 330 w 483 h 127 p 203 tcd

Backplate: 9½" w 4¾" h 1½" d  
mm: 241 w 121 h 13 d

2 - 60W cand base

## BF2872

1 - 18W GU24 CFL (included)





# LINK

**F2878** (OVAL)

42" l 16" w 41" h

mm: 1067 l 406 w 1041 h

Canopy: 6" w 1/2" d

mm: 152 w 13 d

4 - 60W med base

**FF2878**

4 - 18W GU24 CFL included



**SHADE**

Hardback Organza

**METALWORK**

Hand-forged Iron

**FINISH**

Bronze Leaf

**OPTIONAL LINKS**

Each chandelier is furnished with three optional links. Each link adds 2" in height. Not shown with optional link.

# LINK

## F2875

26" w 35½" h  
mm: 660 w 902 h

Canopy: 6" w ½" d  
mm: 152 w 13 d

4 - 60W med base

## FF2875

4 - 18W GU24 CFL included



## C2870

18" w 11½" h  
mm: 457 w 292 h

Canopy: 12" w 1" d  
mm: 305 w 22 d

2 - 60W med base

## CF2870

2 - 13W GU24 CFL included



## F2874

22" w 31" h  
mm: 559 w 787 h

Canopy: 6" w ½" d  
mm: 152 w 13 d

3 - 60W med base

## FF2874

3 - 18W GU24 CFL included



### SHADE

Hardback Organza

### METALWORK

Hand-forged Iron

### FINISH

Bronze Leaf

### OPTIONAL LINKS

Each chandelier is furnished with three optional links.

Each link adds 2" in height.

Not shown with optional link.





# ADIRONDACK

**F2885**

22" w 35½" h  
mm: 559 w 902 h

Canopy: 5" w ¾" d  
mm: 127 w 18 d

6 - 60W cand base

**STEM-TO-CHAIN SUSPENSION**

12" / 305 mm stem not  
included in measurements.  
Use of stem is optional.





# ADIRONDACK

## F2884

18" w 28½" h  
mm: 457 w 724 h

Canopy: 5" w ¾" d  
mm: 127 w 18 d

6 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not  
included in measurements.  
Use of stem is optional.



## C2880

13" w 7" h  
mm: 330 w 178 h

Canopy: 10" w 1" d  
mm: 254 w 25 d

2 - 60W med base

## CF2880

2 - 13W GU24 CFL included

### GLASSWARE

Beige Linen Glass

### SHADE

Hardback Linen

### METALWORK

Hand-forged Iron

### FINISH

Graphite and Silver Leaf

# ADIRONDACK

## F2883

13" w 22¼" h  
mm: 330 w 565 h

Canopy: 5" w ¾" d  
mm: 127 w 18 d

3 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not  
included in measurements.  
Use of stem is optional.



## C2881

18" w 9¾" h  
mm: 457 w 248 h

Canopy: 10" w ¾" d  
mm: 254 w 19 d

4 - 60W cand base

## B2882

8½" w 14" h 4" p 7½" tcd ADA  
mm: 216 w 356 h 102 p 191 tcd

Canopy: 5¼" w 11½" h ½" d  
mm: 130 w 292 h 13 d

2 - 60W cand base

## BF2882

1 - 18W GU24 CFL included

### GLASSWARE

Beige Linen Glass





# ADIRONDACK

## F2895

25" w 37" h  
mm: 635 w 940 h

Canopy: 5" w 3/4" d  
mm: 127 w 19 d

4 - 60W cand base

## FF2895

4 - 18W GU24 CFL (included)



## SHADE

Hardback Linen

## METALWORK

Hand-forged Iron

## FINISH

Graphite and Silver Leaf

## B2841

4 3/4" w 21 1/4" h 5 3/4" p 12" tcd  
mm: 121 w 540 h 133 p 305 tcd

Backplate: 4 3/4" w 11" h 3/4" d  
mm: 121 w 279 h 19 d

1 - 60W cand base

## FINISH

Graphite and Silver Leaf



# ADIRONDACK

## B2892

12" w 25" h 4" p 15" tcd ADA  
mm: 305 w 635 h 102 p 381 tcd

Backplate: 8" w 1/2" d  
mm: 203 w 13 d

2 - 60W cand base

## BF2892

1 - 18W GU24 CFL (included)



## F2894

20" w 29 1/2" h  
mm: 508 w 749 h

Canopy: 5" w 3/4" d  
mm: 127 w 19 d

3 - 60W med base

## FF2894

1 - 18W GU24 CFL (included)



### SHADE

Hardback linen

### METALWORK

Hand-forged Iron

### FINISH

Silver Leaf







# REVOLUTION

## F3678

44" w 29¾" h

mm: 1118 w 756 h

Canopy: 6½" w 1¼" d

mm: 165 w 32 d

10 - 60W cand base

40W Early Electric Lamps included

### STEM-TO-CHAIN SUSPENSION

12" (305 mm) stem not included  
in measurement





# REVOLUTION

## F3676

36" w 24" h  
mm: 914 w 610 h

Canopy: 6½" w 1¼" d  
mm: 165 w 29 d

6 - 60W cand base  
40W Early Electric Lamps included

### STEM-TO-CHAIN SUSPENSION

6" (152 mm) stem not included  
in measurement

## B3671

8¼" w 14" h 5" p 7½" tcd  
mm: 210 w 356 h 127 p 191 tcd

Backplate: 5½" w ¾" d  
mm: 140 w 19 d

1 - 60W cand base  
40W Early Electric Lamps included



### METALWORK

Hand-forged Iron

### FINISH

Revolution Bronze

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180 lm 2200K 120V

# REVOLUTION

## F3675

29" w 17½" h  
mm: 737 w 445 h

Canopy: 6½" w 1¼" d  
mm: 165 w 29 d

5 - 60W cand base  
40W Early Electric Lamps included

### STEM-TO-CHAIN SUSPENSION


6" (152 mm) stem not included  
in measurement

## B3672

10½" w 20" h 5¼" p 11" tcd  
mm: 267 w 508 h 133 p 280 tcd

Backplate: 5½" w ¾" d  
mm: 140 w 19 d

2 - 60W cand base  
40W Early Electric Lamps included



### METALWORK

Hand-forged Iron

### FINISH

Revolution Bronze

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180 lm 2200K 120V











# BASTILLE

**F5898**

21" l 21" w 45¾" h  
mm: 533 l 533 w 1162 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

8 - 60W cand base



**METALWORK**

Hand-worked Iron

**FINISH**

Pompeii Silver and Silver Leaf

# BASTILLE

## C5890

14" w 11" h  
mm: 356 w 279 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

4 - 60W cand base



## F5894

16" l 16" w 35¼" h 106¼" max ht  
mm: 406 l 406 w 892 h 2699 max ht

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

4 - 60W cand base





# BASTILLE

## F5896

25" w 32½" h  
mm: 635 w 822 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

6 - 60W cand base



## B5892

9" w 14" h 4" p  
mm: 225 w 356 h 98 p

Backplate: 4" w 14" h ¾" p  
mm: 102 w 356 h 19 p

2- 60W cand base

## METALWORK

Hand-worked Iron

## FINISH

Pompeii Silver and Silver Leaf





# DRIFT

**F3447**

44" l 13" w 37¼" h  
mm: 1118 l 330 w 946 h

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

7 - 60W cand base

**GLASSWARE**

White Pearl

**METALWORK**

Hand-forged Iron

**FINISH**

Bronze with Silver Leaf

**SUSPENSION**

Natural Manila Rope

# DRIFT

**F3445**

26" l 12" w 40" h  
mm: 660 l 305 w 1016 h

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

5 - 60W cand base





# DRIFT

**F3446**

28½" w 26" h  
mm: 724 w 660 h

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

5 - 60W cand base

**GLASSWARE**

White Pearl

**METALWORK**

Hand-forged Iron

**FINISH**

Bronze with Silver Leaf

**SUSPENSION**

Natural Manila Rope

# DRIFT

## F3443

8½" l 5¾" w 21½" h  
mm: 216 l 146 w 546 h

Canopy: 6½" w ¾" d  
mm: 165 w 16 d

1 - 60W cand base



## B3441

7½" w 13½" h 5¼" p  
mm: 191 w 343 h 133 p

Backplate: 6½" w ¾" d  
mm: 114 w 19 d

1 - 60W cand base



## B3442

7½" w 13½" h 5¼" p  
mm: 191 w 343 h 133 p

Backplate: 6½" w ¾" d  
mm: 114 w 19 d

1 - 60W cand base



### GLASSWARE

White Pearl

### METALWORK

Hand-forged Iron

### FINISH

Bronze with Silver Leaf

### SUSPENSION

Natural Manila Rope







# SANCTUARY

## F4186

25" w 42½" h 91½" max ht  
mm: 635 w 1080 h 2324 max ht

Canopy: 7½" w 2" d  
mm: 189 w 51 d

1- 20W LED (23W total consumption)  
120V/277V operation

Incandescent dimming



## B4181

6¾" w 15" h 8" p  
mm: 171 w 381 h 203 p

Backplate: 5½" w 1" d  
mm: 140 w 26 d

1- 4.5W LED, 120V  
Incandescent dimming



# SANCTUARY

## F4187

16" w 8¾" h 57¾" max ht  
mm: 406 w 222 h 1467 max ht

Canopy: 6¾" w 2" d  
mm: 168 w 48 d

1- 9W LED (10.5W total consumption)  
120V/277V operation

Incandescent dimming



## F4185

19¾" w 31½" h 80½" max ht  
mm: 502 w 819 h 2063 max ht

Canopy: 6¾" w 2" d  
mm: 168 w 48 d

1- 20W LED (23W total consumption)  
120V/277V operation

Incandescent dimming



## METALWORK

Hand-formed Iron and Rebar

## FINISH

Cottage Bronze

## SUSPENSION

Includes 4 stems with hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

Color temperature 2900K ± 100

# SANCTUARY

## F4184

14" w 22¾" h 71¾" max ht  
mm: 356 w 578 h 1822 max ht

Canopy: 6¾" w 2" d  
mm: 168 w 48 d

1- 13W LED (15W total consumption)  
120V/277V operation

Incandescent dimming




## F4188

25" w 13½" h 62½" max ht  
mm: 635 w 343 h 1588 max ht

Canopy: 6¾" w 2" d  
mm: 168 w 48 d

1- 20W LED (23W total consumption)  
120V/277V operation

Incandescent dimming



## METALWORK

Hand-formed Iron and Rebar

## FINISH

Cottage Bronze

## SUSPENSION

Includes 4 stems with hang-straight canopy  
1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457

Color temperature 2900K ± 100











# SIERRA

**F6098**

50" w 38½" h 87½" max ht  
mm: 1270 w 978 h 2223 max ht

Canopy: 8" w ¾" d  
mm: 203 w 19 d

12 - 60W cand base

**METALWORK**

Hand-worked Iron

**FINISH**

Distressed Bronze

# SIERRA

## F6097

40" w 32¼" h 81¼" max ht  
mm: 1016 w 819 h 2064 max ht

Canopy: 7" w 3¼" d  
mm: 178 w 19 d

9 - 60W cand base





# SIERRA

## F6096

32" w 26¼" h 75¼" max ht  
mm: 813 w 667 h 1912 max ht

Canopy: 6" w ¾" d  
mm: 152 w 19 d

6 - 60W cand base



## C6090

32" w 14½" h  
mm: 813 w 365 h

Canopy: 12" w 1" d  
mm: 305 w 25 d

3 - 60W cand base



## METALWORK

Hand-worked Iron

## FINISH

Distressed Bronze







# WHITMAN

## F4108

30½" w 24¾" h  
mm: 775 w 629 h

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

8 - 60W cand base

## B4101

7¾" w 18" h 3½" p ADA  
mm: 197 w 457 h 89 p

Backplate: 4½" w 5" h ½" d  
mm: 115 w 127 h 13 d

1 - 60W cand base



### METALWORK

Hand-worked Wrought Iron

### FINISH

Vienna Bronze

### SHADE

Hardback Linen Cream

# WHITMAN

## F4104

18¼" w 21" h  
mm: 464 w 533 h

Canopy: 5" w ¾" d  
mm: 127 w 19 d

4 - 60W cand base



## B4102

12½" w 17¾" h 4¾" p  
mm: 318 w 451 h 121 p

Backplate: 8" w 5" h ½" d  
mm: 204 w 127 h 13 d

2 - 60W cand base



## F4106

24¼" w 27½" h  
mm: 616 w 699 h

Canopy: 6½" w ¾" d  
mm: 165 w 19 d

6 - 60W cand base



### METALWORK

Hand-worked Wrought Iron

### FINISH

Vienna Bronze

### SHADE

Hardback Linen Cream





# SAUSALITO

**F1288SG** (SHOWN)

**F1288DB**

22" w 34¾" h

mm: 559 w 883 h

Canopy: 5½" w 1" d

mm: 140 w 25 d

8 - 60W cand base





# SAUSALITO

**B1289DB** (SHOWN)

**B1289SG**

10" w 14" h 5" p

mm: 254 w 356 h 127 p

Backplate: 7½" w 11" h 1" d

mm: 191 w 278 h 26 d

2 - 60W cand base

**BF1289DB**

**BF1289SG**

2 - 13W GU24 CFL

(included)



**F1284SG** (SHOWN)

**F1284DB**

17¾" w 28¼" h

mm: 451 w 718 h

Canopy: 5½" w 1" d

mm: 140 w 25 d

4 - 60W cand base



## SHADE

Hardback Linen

## METALWORK

Hand-worked Wrought Iron

## FINISH

DB Deep Bronze

SG Silver Gold

# SAUSALITO

**C1280DB** (SHOWN)

**C1280SG**

12¼" w 7½" h  
mm: 311 w 191 h

Canopy: 10" w 1½" d  
mm: 254 w 38 d

2 - 60W med base



**F1285DB** (SHOWN)

**F1285SG**

25" w 16½" h  
mm: 635 w 419 h

Canopy: 5½" w 1" d  
mm: 140 w 25 d

5 - 60W cand base



**SHADE**

Hardback Linen

**METALWORK**

Hand-worked Wrought Iron

**FINISH**

DB Deep Bronze

SG Silver Gold



# SAUSALITO

**F1287DB** (SHOWN)

**F1287SG**

13" w 22" h

mm: 330 W 559 H

Canopy: 5½" w 1" d

mm: 140 w 25 d

3 - 60W cand base



**C1283SG** (SHOWN)

**C1283DB**

12¼" w 11½" h

mm: 311 w 292 h

Canopy: 9" w ¾" d

mm: 229 w 19 d

3 - 60W cand base



**SHADE**

Hardback Linen

**METALWORK**

Hand-worked Wrought Iron

**FINISH**

DB Deep Bronze

SG Silver Gold

# JULIETTE

**F5958**

32" w 31¼" h  
mm: 813 w 807 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

8 - 60W cand base





# JULIETTE

## F5956

25½" w 28" h  
mm: 648 w 711 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

6 - 60W cand base



## C5953

18½" w 13" h  
mm: 467 w 330 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

3 - 60W cand base



### METALWORK

Hand-worked Iron

### FINISH

Country Iron

# JULIETTE

## F5954

52" l 5½" w 25" h  
mm: 1321 l 140 w 711 h

Canopy: 25¾" l 5½" w ¾" d  
mm: 654 l 140 w 19 d


4 - 60W cand base

## B5951

7¼" w 17" h 3¼" p 10" tcd  
mm: 181 w 432 h 96 p 255 tcd

Backplate: 4¾" w 4¾" h ¾" d  
mm: 121 w 121 h 19 d

1 - 60W cand base



### METALWORK

Hand-worked Iron

### FINISH

Country Iron



# BRADFORD

**F8920CI** (SHOWN)

**F8920NR**

11" w 20½" h

mm: 279 w 521 h

Canopy: 5" w 1" d

mm: 127 w 26 d

2 - 60W cand base



**F8923CI** (SHOWN)

**F8923NR**

25¼" w 44" h

mm: 641 w 1118 h

Canopy: 5" w 1" d

mm: 127 w 26 d

8 - 60W cand base



**GLASSWARE**

Seeded (CD) or Clear

**METALWORK**

Solid Brass

Made In USA

**FINISH**

CI Charred Iron

NR Natural Rust

# BRADFORD

## F8922CI

### F8922NR (SHOWN)

20" w 31½" h  
mm: 508 w 800 h

Canopy: 5" w 1" d  
mm: 127 w 26 d

4 - 60W cand base



## FCD8921CI (SHOWN)

### FCD8921NR

16" w 26½" h  
mm: 406 w 673 h

Canopy: 5" w 1" d  
mm: 127 w 26 d

4 - 60W cand base



#### GLASSWARE

Seeded (CD) or Clear

#### METALWORK

Solid Brass

Made In USA

#### FINISH

CI Charred Iron

NR Natural Rust



# ARCADIA

**F1710FR**

39<sup>3</sup>/<sub>4</sub>" w 33<sup>1</sup>/<sub>4</sub>" h  
mm: 1010 w 845 h

Canopy: 4<sup>3</sup>/<sub>4</sub>" w 3<sup>3</sup>/<sub>4</sub>" d  
mm: 121 w 19 d

10 - 60W cand base

**GLASSWARE**

Clear outer /  
Ribbed Provence inner

**METALWORK**

Hand-worked Wrought Iron

**FINISH**

French Iron

# ARCADIA

## F1716FR

27" w 26" h

mm: 686 w 660 h

Canopy: 4 $\frac{3}{4}$ " w 3 $\frac{1}{4}$ " d

mm: 121 w 19 d

6 - 60W cand base



### GLASSWARE

Clear outer /

Ribbed Provence inner

### METALWORK

Hand-worked Wrought Iron

### FINISH

French Iron

## F1719FR

5" w 9 $\frac{1}{4}$ " h 57 $\frac{1}{4}$ " oah

mm: 127 w 235 h 1454 oah

Canopy: 4 $\frac{3}{4}$ " w 3 $\frac{1}{4}$ " d

mm: 121 w 19 d

1 - 60W cand base

Includes 4 stems with

hang-straight canopy

1-6", 2-12", 1-18"

mm: 1-152, 2-305, 1-457







# MADDOX

## F5346

20" w 46½" h  
mm: 508 w 1181 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

6 - 60W cand base  
Shown with optional 40W  
Early Electric Lamps





# MADDOX

## F5344

15½" w 35½" h  
mm: 394 w 902 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

4 - 60W cand base

Shown with optional 40W  
Early Electric Lamps



## B5342

8" w 12¾" h 4"p 7¼" tcd  
mm: 203 w 328 h 102 p 184 tcd

Backplate: 8" w 11" h ½" d  
mm: 203 w 279 h 13 d

2 - 60W cand base



### GLASSWARE

Clear Glass

### METALWORK

Hand-worked Iron

### FINISH

Textured Bronze

### OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W cand base Early Electric LED Lamps  
180 lm 2200K 120V





# JACKSON

## **F2504CB**

36¼" w 27¾" h  
mm: 921 w 705 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

8 - 60W med base  
Early Electric Lamps included



### **METALWORK**

Hand-worked Wrought Iron

### **FINISH**

Copper Bronze

### **REPLACEMENT LAMP INFORMATION**

LB-60-6 Six-pack 60W med base Early Electric Lamps  
LB-6W-6 Six-pack 6W med base Early Electric LED Lamps  
400 lm 2200K 120V

# JACKSON

## F2506CB

42" l 8 1/4" w 25 3/4" h  
mm: 1067 L 210 w 629 h

Canopy: 12" l 4 1/2" w 1" d  
mm: 305 l 114 w 25 d

8 - 60W med base  
Early Electric Lamps included





# JACKSON

## F2503CB

26" w 22¼" h  
mm: 660 w 565 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

6 - 60W med base  
Early Electric Lamps included



## B2501CB

4¾" w 8" h 3½" p ADA  
mm: 121 w 203 h 89 p

Backplate: 4¾" w 8 h  
mm: 121 w 203 h

1 - 60W med base

Early Electric Lamps included



## METALWORK

Hand-worked Wrought Iron

## FINISH

Copper Bronze

## REPLACEMENT LAMP INFORMATION

LB-60-6 Six-pack 60W med base Early Electric Lamps

LB-6W-6 Six-pack 6W med base Early Electric LED Lamps

400 lm 2200K 120V





# MORGAN

**F9998DB** (SHOWN)

**F9998GSL**

21" w 31" h

mm: 533 w 787 h

Canopy: 5½" w 1" d

mm: 140 w 25 d

8 - 60W cand base



**B9992GSL** (SHOWN)

**B9992DB**

8½" w 14" h 4" p ADA

mm: 216 w 356 h 102 p

Backplate: 8½" w 14" h

mm: 216 w 356 h

2 - 60W cand base

Mirror Backplate

**GLASSWARE**

Clear Glass

**METALWORK**

Hand-worked Wrought Iron

**FINISH**

DB Deep Bronze

GSL Gold and Silver Leaf

# MORGAN

**F9998GSL** (SHOWN)

**F9998DB**

21" w 31" h

mm: 533 w 787 h

Canopy: 5½" w 1" d

mm: 140 w 25 d

8 - 60W cand base



**B9992DB** (SHOWN)

**B9992GSL**

8½" w 14" h 4" p ADA

mm: 216 w 356 h 102 p

Backplate: 8½" w 14" h

mm: 216 w 356 h

2 - 60W cand base

Mirror Backplate



# MORGAN

## F9994DB

16" w 24" h  
mm: 406 w 610 h

Canopy: 5½" w 1" d  
mm: 140 w 25 d

4 - 60W cand base



## F9994GSL

16" w 24" h  
mm: 406 w 610 h

Canopy: 5½" w 1" d  
mm: 140 w 25 d

4 - 60W cand base



### GLASSWARE

Clear Glass

### METALWORK

Hand-worked Wrought Iron

### FINISH

DB Deep Bronze

GSL Gold and Silver Leaf





# BAMBOO

**F1848BB**

36" l 16" w 29 $\frac{3}{4}$ " h  
mm: 914 l 406 w 756 h

Canopy: 10" l 6" w  $\frac{3}{4}$ " d  
mm: 254 l 152 w 19 d

8 - 60W med base

**GLASSWARE**

Bamboo Glass

**METALWORK**

Hand-worked Wrought Iron

**FINISH**

Bamboo Bronze with Natural Slate

# BAMBOO

## F1846BB

28" w 27" h  
mm: 711 w 686 h

Canopy: 4¾" w 1" d  
mm: 121 w 25 d

6 - 60W med base



## F1847BB

4¾" w 9½" h  
mm: 121 w 241 h

Canopy: 4¾" w 1" d  
mm: 121 w 25 d

1 - 60W med base



## F1845BB

18" w 20" h  
mm: 457 w 508 h

Canopy: 4¾" w 1" d  
mm: 121 w 25 d

3 - 60W med base











# CAROUSEL

**F4836**

25" w 43" h

mm: 635 w 1092 h

Canopy: 5¼" w 1" d

mm: 133 w 25 d

9 - 60W cand base



**SHADE**

Hardback Linen

**METALWORK**

Hand-worked Iron

**FINISH**

Provence Bronze

# CAROUSEL



## **B4832**

7<sup>3</sup>/<sub>4</sub>" w 12<sup>1</sup>/<sub>4</sub>" h 5"p 6" tcd  
mm: 197 w 311 h 127 p 152 tcd

Backplate: 6<sup>1</sup>/<sub>2</sub>" w 12" h 3<sup>3</sup>/<sub>4</sub>" d  
mm: 165 w 305 h 19 d

2 - 60W cand base



## **F4835**

17<sup>1</sup>/<sub>2</sub>" w 33<sup>1</sup>/<sub>2</sub>" h  
mm: 445 w 851 h

Canopy: 5<sup>1</sup>/<sub>4</sub>" w 1" d  
mm: 133 w 25 d

3 - 60W cand base



# CAROUSEL

**F4837**

24" w 28½" h  
mm: 610 w 724 h

Canopy: 5¼" w 1" d  
mm: 133 w 25 d

6 - 60W cand base

**SHADE**

Hardback Linen

**METALWORK**

Hand-worked Iron

**FINISH**

Provence Bronze







# MERCURY

**F2565**

19" w 27" h

mm: 483 w 686 h

Canopy: 5½" w ¾" d

mm: 140 w 19 d

4 - 60W cand base

**GLASSWARE**

Antique Silver

**METALWORK**

Hand-worked Wrought Iron

**FINISH**

Old Iron

# MERCURY

## F2564

17" w 25" h  
mm: 432 w 635 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

3 - 60W cand base



### GLASSWARE

Antique Silver

### METALWORK

Hand-worked Wrought Iron

### FINISH

Old Iron

## F2563

14" w 21½" h  
mm: 356 w 546 h

Canopy: 5½" w ¾" d  
mm: 140 w 19 d

3 - 60W cand base









# BYRON

**F2998**

41½" w 41½" h  
mm: 1054 w 1054 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

8 - 60W cand base





# BYRON

**F2997**

32½" w 33½" h  
mm: 826 w 851 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

6 - 60W cand base



**GLASSWARE**

Crystal

**METALWORK**

Hand-worked Wrought Iron

**FINISH**

Vintage Bronze

# BYRON

## F2996

26¼" w 27¼" h  
mm: 667 w 692 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

5 - 60W cand base



## F2995

20¼" w 21" h  
mm: 514 w 533 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

4 - 60W cand base



### GLASSWARE

Crystal

### METALWORK

Hand-worked Wrought Iron

### FINISH

Vintage Bronze



# MERITAGE

**F4319**

30¼" w 33¾" h  
mm: 768 w 857 h

Canopy: 6" w ¾" d  
mm: 152 w 19 d

9 - 60W cand base

**GLASSWARE**

Mercury-plated and Clear Crystal

**METALWORK**

Hand-worked Wrought Iron

**FINISH**

Graphite

# MERITAGE

## F4317

25" w 28¾" h  
mm: 635 w 730 h

Canopy: 6" w ¾" d  
mm: 152 w 19 d

6 - 60W cand base



## F4315

12½" w 20¼" h  
mm: 318 w 514 h

Canopy: 6" w ¾" d  
mm: 152 w 19 d

3 - 60W cand base





# MERITAGE



## C4310

20" w 16¼" h  
mm: 508 w 413 h

Canopy: 12¾" w ¾" d  
mm: 324 w 19 d

4 - 60W cand base



## B4312

12¼" w 14¾" h 5¾" p 4¾" tcd  
mm: 311 w 375 h 146 p 121 tcd

Backplate: 5" w 10¼" h ¾" d  
mm: 127 w 260 h 19 d

2 - 60W cand base



## F4316

20" w 26" h  
mm: 508 w 660 h

Canopy: 6" w ¾" d  
mm: 152 w 19 d

6 - 60W cand base

### GLASSWARE

Mercury-plated and Clear Crystal

### METALWORK

Hand-worked Wrought Iron

### FINISH

Graphite







# BOURDEAUX

**F3517**

43" w 53¼" h

mm: 1092 w 1353 h

Canopy: 6" w 1" d

mm: 152 w 25 d

15 - 60W cand base

**GLASSWARE**

Crystal

**METALWORK**

Hand-worked Wrought Iron

**MATERIALS**

Hand-carved Wood Accents

**METAL FINISH**

Parisian Bronze

**WOOD FINISH**

Distressed Gold Leaf

# BOURDEAUX

## F3516

32¼" w 38¾" h  
mm: 819 w 984 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

10 - 60W cand base

## B3511

5½" w 18¼" h 6" p  
mm: 133 w 464 h 152 p

Backplate: 5" w ½" d  
mm: 127 w 13 d

1 - 60W cand base





# BOURDEAUX

## F3515

27½" w 32¾" h  
mm: 699 w 832 h

Canopy: 5" w 1" d  
mm: 127 w 25 d

5 - 60W cand base



## B3512

14½" w 20¾" h 8½" p  
mm: 368 w 527 h 216 p

Backplate: 5" w ½" d  
mm: 127 w 13 d

2 - 60W cand base



### GLASSWARE

Crystal

### METALWORK

Hand-worked Wrought Iron

### MATERIALS

Hand-carved Wood Accents

### METAL FINISH

Parisian Bronze

### WOOD FINISH

Distressed Gold Leaf





# DELACROIX

## F3537

35¾" w 49" h  
mm: 909 w 1245 h

Canopy: 5" w 1" d  
mm: 127 w 25 d

12 - 60W cand base



### METALWORK

Hand-worked Iron

### MATERIALS

Wood Beads and Hand-carved Accents

### METAL FINISH

French Bronze

### WOOD FINISH

Aged Wood with Distressed Gold Leaf

# DELACROIX

## F3536

29¾" w 40½" h  
mm: 756 w 1029 h

Canopy: 5" w 1" d  
mm: 127 w 25 d

10 - 60W cand base





# DELACROIX

## F3535

25" w 35¾" h  
mm: 635 w 909 h

Canopy: 5" w 1" d  
mm: 127 w 25 d

8 - 60W cand base



## B3532

14" w 24¾" h 6" p  
mm: 356 w 629 h 152 p

Backplate: 4¼" w ¾" d  
mm: 108 w 16 d

2 - 60W cand base



### METALWORK

Hand-worked Iron

### MATERIALS

Wood Beads and Hand-carved Accents

### METAL FINISH

French Bronze

### WOOD FINISH

Aged Wood with Distressed Gold Leaf





# VIOLA

## F5367

37½" w 45¼" h  
mm: 953 w 1149 h

Canopy: 6" w 1" d  
mm: 152 w 25 d

12 - 60W cand base



### GLASSWARE

Crystal

### METALWORK

Hand-worked Iron

### FINISH

Distressed Gold Leaf

## B5361

9" w 17¾" h 4½" p 12" tcd  
mm: 229 w 451 h 114" 305 tcd

Canopy: 4¾" w ½" d  
mm: 121 w 13 d

1 - 60W cand base



# VIOLA

## F5365

21½" w 26½" h  
mm: 546 w 673 h

Canopy: 5¼" w 1" d  
mm: 133 w 25 d

6 - 60W cand base



## F5366

27 ½" w 33½" h  
mm: 699 w 851 h

Canopy: 5¼" w 1" d  
mm: 133 w 25 d

8 - 60W cand base



### GLASSWARE

Crystal

### METALWORK

Hand-worked Iron

### FINISH

Distressed Gold Leaf







# SIENNA



**F4746**

42" w 45¼" h

mm: 1067 w 1149 h

Canopy: 7" w 1¼" d

mm: 178 w 32 d

12 - 60W cand base

**GLASSWARE**

Antique Mirrored Crystal

**METALWORK**

Hand-worked Iron and Cast Aluminum

**FINISH**

Vienna Bronze



# SIENNA

## F4745

32" w 38" h

mm: 813 w 965 h

Canopy: 6½" w 1¼" d

mm: 165 w 32 d

8 - 60W cand base



## B4742

14" w 20¼" h 5¾"p 8½" tcd

mm: 356 w 514 h 146 p 216 tcd

Backplate: 4½" w ¼" d

mm: 114 w 6 d

2 - 60W cand base

# SIENNA

## F4743

21¼" w 24¼" h  
mm: 540 w 616 h

Canopy: 5" w 1¼" d  
mm: 127 w 32 d

4 - 60W cand base



## F4744

26½" w 30¾" h  
mm: 673 w 781 h

Canopy: 6¼" w 1¼" d  
mm: 159 w 32 d

6 - 60W cand base



### GLASSWARE

Antique Mirrored Crystal

### METALWORK

Hand-worked Iron and Cast Aluminum

### FINISH

Vienna Bronze







# BISTRO

## F3809

30¼" w 35" h  
mm: 781 w 889 h

Canopy: 6" w ¾" d  
mm: 153 w 19 d

9 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

12" / 305 mm stem not included  
in measurements.  
Use of stem is optional.

## B3801

8" w 15" h 4½" p 5" tcd  
mm: 203 w 381 h 114 p 127 tcd

Backplate: 4¼" w 10" h ¾" d  
mm: 108 w 254 h 19 d

1 - 60W cand base



### GLASSWARE

Crystal

### METALWORK

Hand-worked Iron

### FINISH

Graphite with Antique Pewter Flatware



# BISTRO

## F3807

25" w 30½" h  
mm: 635 w 775 h

Canopy: 6" w ¾" d  
mm: 153 w 19 d

6 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

8" / 203 mm stem not  
included in measurements.  
Use of stem is optional.



## C3800

20" w 17½" h  
mm: 508 w 445 h

Canopy: 12¾" w ¾" d  
mm: 324 w 19 d

4 - 60W cand base

# BISTRO

## F3805

13" w 22½" h  
mm: 330 w 571 h

Canopy: 6" w ¾" d  
mm: 153 w 19 d

3 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

6" / 203 mm stem not  
included in measurements.  
Use of stem is optional.



## F3806

20" w 27½" h  
mm: 508 w 699 h

Canopy: 6" w ¾" d  
mm: 153 w 19 d

6 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

8" / 203 mm stem not  
included in measurements.  
Use of stem is optional.



## B3802

12½" w 18½" h 5¾" p 5¼" tcd  
mm: 311 w 470 h 146 p 133 tcd

Backplate: 4¾" w 10" h ¾" d  
mm: 120 w 254 h 19 d

2 - 60W cand base

### GLASSWARE

Crystal

### METALWORK

Hand-worked Iron

### FINISH

Graphite with Antique Pewter Flatware





# BISTRO

## F3804


42" l 10½" w 22¾" h  
mm: 1067 l 267 w 578 h

Canopy: 19" l 5" w ¾" d  
mm: 483 l 127 w 19 d

6 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

8" / 203 mm stem not  
included in measurements.  
Use of stem is optional.



### GLASSWARE

Crystal

### METALWORK

Hand-worked Iron

### FINISH

Graphite with Antique Pewter Flatware

## F3803

7¼" w 14" h  
mm: 184 w 356 h

Canopy: 6" w ¾" d  
mm: 153 w 19 d

3 - 60W cand base

### STEM-TO-CHAIN SUSPENSION

6" / 153 mm stem not  
included in measurements.  
Use of stem is optional.



# CEILING LUMINAIRES

## ALLURE

**C5661** GOLD LEAF (SHOWN)

**C5662** SILVER LEAF

13" w 5" h

mm: 327 w 127 h

Canopy: 13" w 3¼" d

mm: 330 w 83 d

2 - 60W med base



## ALLURE

**C5671** GOLD LEAF

**C5672** SILVER LEAF (SHOWN)

13" w 5" h

mm: 327 w 127 h

Canopy: 13" w 3¼" d

mm: 330 w 83 d

2 - 60W med base



**C5651** GOLD LEAF (SHOWN)

**C5652** SILVER LEAF

13½" w 5" h

mm: 343 w 127 h

Canopy: 13½" w 3¼" d

mm: 343 w 83 d

2 - 60W med base



## GLASSWARE

Opal White Glass

## METALWORK

Hand-worked Iron

## FINISH

Silver Leaf

Gold Leaf



# CEILING LUMINAIRES

**REESE  
C5931**

15½" w 5½" h  
mm: 394 w 140 h

Canopy: 15½" w 2¾" d  
mm: 394 w 70 d

1 - 18W LED included  
1260lm 2700K ±50K 90CRI

120V incandescent dimming



**REESE  
C5930**

13" w 4¾" h  
mm: 330 w 121 h

Canopy: 13" w 2¼" d  
mm: 331 w 54 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming



**REESE  
C5921**

15½" w 5½" h  
mm: 394 w 140 h

Canopy: 15½" w 2¾" d  
mm: 394 w 70 d

1 - 18W LED included  
1260lm 2700K ±50K 90CRI

120V incandescent dimming



**REESE  
C5920**

13" w 4¾" h  
mm: 330 w 121 h

Canopy: 13" w 2¼" d  
mm: 331 w 54 d

1 - 12W LED included  
840lm 2700K ±50K 90CRI

120V incandescent dimming



**GLASSWARE**

Frosted Opal Glass

**FINISH**

Antique Silver Leaf

Antique Gold Leaf

# CEILING LUMINAIRES

**ACME**

**C3890**

8½" w 7¼" h

mm: 216 w 184 h

Canopy: 6¼" w 1" d

mm: 156 w 25 d

1 - 100W med base



**ACME**

**C3891**

12½" w 10¾" h

mm: 318 w 273 h

Canopy: 9¼" w 1" d

mm: 232 w 25 d

1 - 100W med base



**GLASSWARE**

Clear Pressed Glass

**METALWORK**

Hand-worked Iron  
and Cast Aluminum

**FINISH**

Aged Silver



# CEILING LUMINAIRES

## PIKE PLACE

### C4122

28" w 9½" h  
mm: 711 w 241 h

Canopy: 28" w 1½" d  
mm: 711 w 38 d

4 - 60W med base

### CF4122

4-18W GU24 CFL included



## PIKE PLACE

### C4121

21" w 7¼" h  
mm: 533 w 184 h

Canopy: 21" w 1¼" d  
mm: 533 w 32 d

3 - 60W med base

### CF4121

3-18W GU24 CFL included



## PIKE PLACE

### C4120

16¾" w 6¼" h  
mm: 425 w 159 h

Canopy: 16¾" w ¾" d  
mm: 425 w 19 d

2 - 60W med base

### CF4120

2-18W GU24 CFL included

## GLASSWARE

Amber Antique Glass

## METALWORK

Hand-worked Wrought Iron with  
Natural Manila Rope

## FINISH

Shipyards Bronze

# WALL LUMINAIRES

## CHIME

### B3472

11" w 20 $\frac{1}{4}$ " h 4" p 6" tcd ADA  
mm: 279 w 514 h 102 p 153 tcd

Backplate: 9 $\frac{1}{2}$ " w 6" h  $\frac{3}{4}$ " d  
mm: 241 w 152 h 19 d

2 - 40W cand base



### BF3472

2 - 13W GU24 CFL (included)

Hardback Linen Shade  
Hand-worked Iron  
Charred Copper



## CHIME

### B3471

7" w 16 $\frac{3}{4}$ " h 5 $\frac{1}{4}$ " p 8 $\frac{3}{4}$ " tcd  
mm: 177 w 426 h 133 p 223 tcd

Backplate: 7" w 16 $\frac{3}{4}$ " h  $\frac{3}{4}$ " d  
mm: 178 w 425 h 19 d

1 - 40W cand base

Hardback Linen Shade  
Hand-worked Iron  
Charred Iron



## CHRYSALIS

### B5291

8" w 18" h 5 $\frac{1}{2}$ " p 9" tcd  
mm: 203 w 457 h 140 p 229 tcd

Backplate: 5" w 15" h  $\frac{1}{2}$ " d  
mm: 127 w 381 h 13 d

1 - 60W cand base

Hand-crafted Iron and Stainless  
Cottage Bronze with Polished Stainless  
and Gold Leaf



# WALL LUMINAIRES



## **PALLADIUM**

### **B2462FB**

12" w 21" h 4" p 15" tcd ADA  
mm: 305 w 533 h 102 p 381 tcd

Backplate: 12½" h 4" w ¾" d  
mm: 318 h 102 w 19 d

2 - 60W cand base

Hardback Linen Shade  
Hand-worked Wrought Iron  
Federal Bronze Finish



## **PALLADIUM**

### **B2462SL**

12" w 21" h 4" p 15" tcd ADA  
mm: 305 w 533 h 102 p 381 tcd

Backplate: 12½" h 4" w ¾" d  
mm: 318 h 102 w 19 d

2 - 60W cand base

Hardback Linen Shade  
Hand-worked Wrought Iron  
Silver Leaf Finish

# WALL LUMINAIRES

## FAULKNER

### B2901

5" w 24" h 5½" p 12" tcd  
mm: 127 w 610 h 140 p 305 tcd

Backplate: 5" w ½" d  
mm: 127 w 13 d

1 - 60W cand base



## FAULKNER

### B2903

6" w 48" h 7¼" p 16" tcd  
mm: 152 w 1219 h 184 p 407 tcd

Backplate: 6" w ½" d  
mm: 152 w 13 d

1 - 60W cand base



## FAULKNER

### B2902

5" w 36" h 6¼" p 14" tcd  
mm: 127 w 914 h 159 p 356 tcd

Backplate: 5" w ½" d  
mm: 127 w 13 d

1 - 60W cand base



## SHADE

Hardback Linen

## METALWORK

Hand-worked Iron

## FINISH

Pompeii Bronze



# WALL LUMINAIRES

## LA BREA B2481FI

5" w 30" h 5¾" p 17½" tcd  
mm: 127 w 762 h 146 p 445 tcd

Backplate: 4½" w 6" h ½" d  
mm: 114 w 152 h 13 d

1 - 60W cand base

Hardback linen shade  
Hand-worked Wrought Iron  
French Iron Finish



## LA BREA B2483FI

17" w 30" h 8" p 17½" tcd  
mm: 432 w 762 h 203 p 445 tcd

Backplate: 4½" w 6" h ½" d  
mm: 114 w 152 h 13 d

3 - 60W cand base

Hardback Linen Shade  
Hand-worked Wrought Iron  
French Iron Finish



## LA BREA B2482FI

14½" w 30" h 6¼" p 17½" tcd  
mm: 368 w 762 h 159 p 445 tcd

Backplate: 4½" w 6" h ½" d  
mm: 114 w 152 h 13 d

2 - 60W cand base

Hardback Linen Shade  
Hand-worked Wrought Iron  
French Iron Finish



# WALL LUMINAIRES

## SEVILLE

### B2522WI

14¼" w 22¼"-37½" h 5½" p 15½" tcd  
mm: 362 w 565 - 953 h 140 p 394 tcd

Backplate: 4½" w 7¾" h ½" d  
mm: 114 w 197 h 13 d

2 - 60W cand base

Convertible Tail

Hardback Linen Shade

Hand-forged Iron

Weathered Iron Finish





# WALL LUMINAIRES

## ALMONT

### B3182

12¼" w 26" h 4½" p 9" tcd  
mm: 311 w 660 h 114 p 229 tcd

Backplate: 8" w 4½" h ½" d  
mm: 203 w 114 h 13 d

2 - 60W cand base

Hardback Linen Shade  
Hand-forged Iron  
Cottage Bronze



## CRAWFORD

### B3172

11" w 25¾" h 4¼" p 8¼" tcd  
mm: 279 w 654 h 108 p 210 tcd

Backplate: 8" w 4½" h ½" d  
mm: 203 w 114 h 13 d

2 - 60W cand base

Hardback Linen Shade  
Hand-forged Iron  
Cottage Bronze

### BF3172

2 - 13W GU24 CFL (included)

# WALL LUMINAIRES

## TATTOO

### B3462

11" w 36" h 4" p 11¼" tcd ADA  
mm: 279 w 914 h 102 p 299 tcd

Backplate: 7¾" w 5" h ½" d  
mm: 194 w 122 h 13 d

2 - 60W cand base

### BF3462

2 - 13W GU24 CFL included

Hardback Linen Shade  
Hand-forged Iron  
Cottage Bronze



## UMBRIA

### B2912

12" w 28½" h 4" p 6½" tcd ADA  
mm: 305 w 724 h 102 p 165 tcd

Backplate: 8" w 5½" h ½" d  
mm: 203 w 138 h 13 d

2 - 60W cand base

### BF2912

2 - 13W GU24 CFL (included)

Hardback Linen Shade  
Hand-forged Iron  
Umbria Bronze



# WALL LUMINAIRES

## CORSICA

### B2621

6¾" w 26¼" h 7½" p 10½" tcd  
mm: 171 w 667 h 191 p 267 tcd

Backplate: 6¾" w 8½" h ½" d  
mm: 171 w 216 h 13 d

1 - 60W cand base

Natural Onyx Candle  
Hand-forged Iron  
Corsican Bronze



## OJAI

### B6131

4½" w 27" h 5" p 23¼" tcd  
mm: 111 w 686 h 127 p 591 tcd

Backplate: 4½" w 27" h 5" p  
mm: 115 w 185 h 19 d

1 - 60W cand base

Natural Onyx Candle  
Hand-worked Iron  
Vintage Bronze

# WALL LUMINAIRES

## PRISM

### B2821

7" w 9" h 4" p 4½" tcd ADA  
mm: 178 w 229 h 102 p 115 tcd

Backplate: 4½" w 6¼" h ¾" d  
mm: 115 w 159 h 19 d

1 - 60W cand base

Shown with optional  
Early Electric Lamps



## PRISM

### B2822

7" w 9" h 4" p 4½" tcd ADA  
mm: 178 w 229 h 102 p 115 tcd

Backplate: 4½" w 6½" h ¾" d  
mm: 115 w 165 h 19 d

1 - 60W cand base

Shown with optional  
Early Electric Lamps



## GLASSWARE

Plated Smoked Crystal

## METALWORK

Hand-worked Wrought Iron

## FINISH

Graphite

## OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W med base Early Electric LED Lamps  
180 lm 2200K 120V



# WINK



**B5821 GOLD LEAF**

**B5831 SILVER LEAF (SHOWN)**

5¼" w 4½" h 6½" p 2¼" tcd  
mm: 130 w 114 h 162 p 57 tcd

Backplate: 4½" w 4½" h ¾" d  
mm: 114 w 114 h 19 d

1 - 4W G9 LED included



**B5822 GOLD LEAF (SHOWN)**

**B5832 SILVER LEAF**

12½" w 4½" h 6½" p 2¼" tcd  
mm: 318 w 114 h 162 p 57 tcd

Backplate: 6¼" w 4¼" h ¾" d  
mm: 158 w 107 h 19 d

2 - 4W G9 LED included

**B5823 GOLD LEAF**

**B5833 SILVER LEAF (SHOWN)**

20" w 4½" h 6½" p 2¼" tcd  
mm: 508 w 114 h 162 p 57 tcd

Backplate: 6¼" w 4¼" h ¾" d  
mm: 158 w 107 h 19 d

3 - 4W G9 LED included



**GLASSWARE**

Clear

**METALWORK**

Hand-worked Iron

**FINISH**

Gold Leaf with Polished Chrome Accents

Silver Leaf with Polished Chrome Accents

**REPLACEMENT LAMP INFORMATION**

BLB-3W-G9-50 Fifty-pack 3W G9 Base LED  
300lm 3000K 90CRI

BLB-4W-G9-50 Fifty-pack 4W G9 Base LED  
360lm 3000K 90CRI

**B5824 GOLD LEAF (SHOWN)**

**B5834 SILVER LEAF**

27½" w 4½" h 6½" p 2¼" tcd  
mm: 699 w 114 h 162 p 57 tcd

Backplate: 6¼" w 4¼" h ¾" d  
mm: 158 w 107 h 19 d

4 - 4W G9 LED included

# EXPRESSION

**B5801 GOLD LEAF (SHOWN)**

**B5811 SILVER LEAF**

5¼" w 7" h 6¼" p 3½" tcd  
mm: 130 w 177 h 155 p 89 tcd

Backplate: 4½" w 4½" h ¾" d  
mm: 111 w 114 h 19 d

2 - 4W G9 LED included



**B5802 GOLD LEAF**

**B5812 SILVER LEAF (SHOWN)**

12½" w 7" h 6¼" p 3½" tcd  
mm: 317 w 177 h 155 p 89 tcd

Backplate: 6¼" w 4¼" h ¾" d  
mm: 158 w 107 h 19 d

4 - 4W G9 LED included



**B5803 GOLD LEAF (SHOWN)**

**B5813 SILVER LEAF**

20" w 7" h 6¼" p 3½" tcd  
mm: 508 w 177 h 155 p 89 tcd

Backplate: 6¼" w 4¼" h ¾" d  
mm: 158 w 107 h 19 d

6 - 4W G9 LED included



**B5804 GOLD LEAF**

**B5814 SILVER LEAF (SHOWN)**

27½" w 7" h 6¼" p 3½" tcd  
mm: 699 w 177 h 155 p 89 tcd

Backplate: 6¼" w 4¼" h ¾" d  
mm: 158 w 107 h 19 d

8 - 4W G9 LED included

**GLASSWARE**

Clear

**METALWORK**

Hand-worked Iron

**FINISH**

Gold Leaf with Polished Chrome Accents  
Silver Leaf with Polished Chrome Accents

**REPLACEMENT LAMP INFORMATION**

BLB-3W-G9-50 Fifty-pack 3W G9 Base LED  
300lm 3000K 90CRI

BLB-4W-G9-50 Fifty-pack 4W G9 Base LED  
360lm 3000K 90CRI



# SPLASH



**B5681 GOLD LEAF**

**B5691 SILVER LEAF (SHOWN)**

4½" w 4½" h 5¼" p 2¼" tcd  
mm: 115 w 115 h 133 p 57 tcd

Backplate: 4½" w 4½" h ¾" d  
mm: 115 w 115 h 19 d

1 - 4W G9 LED included



**B5682 GOLD LEAF (SHOWN)**

**B5692 SILVER LEAF**

11¼" w 4½" h 5¼" p 2¼" tcd  
mm: 286 w 115 h 133 p 57 tcd

Backplate: 6¼" w 4½" h ¾" d  
mm: 158 w 115 h 19 d

2 - 4W G9 LED included

**B5683 GOLD LEAF**

**B5693 SILVER LEAF (SHOWN)**

18¼" w 4½" h 5¼" p 2¼" tcd  
mm: 464 w 115 h 133 p 57 tcd

Backplate: 6¼" w 4½" h ¾" d  
mm: 159 w 115 h 19 d

3 - 4W G9 LED included



**GLASSWARE**

Clear Pressed Glass

**METALWORK**

Hand-worked Iron

**FINISH**

Gold Leaf with Polished Chrome Accents

Silver Leaf with Polished Chrome Accents

**REPLACEMENT LAMP INFORMATION**

BLB-3W-G9-50 Fifty-pack 3W G9 Base LED  
300lm 3000K 90CRI

BLB-4W-G9-50 Fifty-pack 4W G9 Base LED  
360lm 3000K 90CRI

**B5684 GOLD LEAF (SHOWN)**

**B5694 SILVER LEAF**

25¼" w 4½" h 5¼" p 2¼" tcd  
mm: 641 w 115 h 133 p 57 tcd

Backplate: 6¼" w 4½" h ¾" d  
mm: 159 w 115 h 19 d

4 - 4W G9 LED included

# HIDEAWAY

## B5871

4¾" w 11½" h 4½" p 5¾" tcd  
mm: 117 w 292 h 114 p 146 tcd

Backplate: 4¾" w ½" d  
mm: 121 w 13 d

1 - 4.5W LED included  
315lm 2700K ±50 90CRI

120V incandescent dimming



## B5872

18" w 4¾" h 4½" p 2½" tcd  
mm: 457 w 117h 114 p 64 tcd

Backplate: 4¾" w ½" d  
mm: 121 w 13 d

1 - 9W LED included  
630lm 2700K ±50 90CRI

120V incandescent dimming



## B5873

26" w 4¾" h 4½" p 2½" tcd  
mm: 660 w 117 h 114 p 64 tcd

Backplate: 4¾" w ½" d  
mm: 121 w 13 d

1 - 18W LED included  
1260lm 2700K ±50 90CRI

120V incandescent dimming



### GLASSWARE

Frosted White Glass

### METALWORK

Hand-worked Iron

### FINISH

Champagne Leaf



# FACTION



## B5881

5¾" d 7¾" h 7½" p 5½" tcd  
mm: 146 d 196 h 190 p 137 tcd

Backplate: 4¾" w 4¾" h ¾" d  
mm: 120 w 120 h 19 d

1 - 60W cand base



## B5882

14" w 7¾" h 7½" p 5½" tcd  
mm: 355 d 196 h 190 p 137 tcd

Backplate: 4¾" w 4¾" h ¾" d  
mm: 120 w 120 h 19 d

2 - 60W cand base

## B5883

22¼" w 7¾" h 7½" p 5¾" tcd  
mm: 565 w 196 h 190 p 137 tcd

Backplate: 4¾" w 4¾" h ¾" d  
mm: 120 w 120 h 19 d

3 - 60W cand base



## GLASSWARE

Clear Pressed Glass

## METALWORK

Hand-worked Iron

## FINISH

Forged Iron and Polished Nickel

## B5884

30½" w 7¾" h 7½" p 5½" tcd  
mm: 774 w 196 h 190 p 137 tcd

Backplate: 4¾" w 4¾" h ¾" d  
mm: 120 w 120 h 19 d

4 - 60W cand base

# CITIZEN

## B6002

12¼" w 9" h 4¾" p 2¼" tcd  
mm: 308 w 226 h 118 p 57 tcd

Backplate: 4½" w 4½" h ¾" d  
mm: 114 w 114 h 19 d

2 - 60W cand base



## B6001

4½" w 9" h 4¾" p 2¼" tcd  
mm: 115 w 226 h 118 p 57 tcd

Backplate: 4½" w 4½" h ¾" d  
mm: 114 w 114 h 19 d

1 - 60W cand base



## B6003

16½" w 9" h 4¾" p 2¼" tcd  
mm: 416 w 226 h 118 p 57 tcd

Backplate: 4½" w 4½" h ¾" d  
mm: 114 w 114 h 19 d

3 - 60W cand base



## B6004

22¾" w 9" h 4¾" p 2¼" tcd  
mm: 578 w 226 h 118 p 57 tcd

Backplate: 4½" w 4½" h ¾" d  
mm: 114 w 114 h 19 d

4 - 60W cand base



### GLASSWARE

Clear Pressed Glass

### METALWORK

Hand-worked Iron

### FINISH

Graphite and Polished Nickel



# MENLO PARK

**B3952 OLD SILVER (SHOWN)**

**B3962 DEEP BRONZE**

15¼" w 10" h 6¾" p 2¼" tcd  
mm: 387 w 254 h 171 p 58 tcd

Backplate: 6" w 4¾" h 1" d  
mm: 153 w 121 h 25 d

2 - 60W cand base  
Shown with optional  
Early Electric Lamps



**B3131 OLD SILVER (SHOWN)**

**B3971 DEEP BRONZE**

5¾" w 14" h 8½" p 3" tcd  
mm: 146 w 356 h 216 p 77 tcd

Backplate: 4¾" w 6" h 1" d  
mm: 121 w 153 h 25 d

1 - 60W cand base

Shown with optional  
Early Electric Lamps

**B3953 OLD SILVER**

**B3963 DEEP BRONZE (SHOWN)**

20½" w 10" h 6¾" p 2¼" tcd  
mm: 521 w 254 h 171 p 58 tcd

Backplate: 6" w 4¾" h 1" d  
mm: 153 w 121 h 25 d

3 - 60W cand base  
Shown with optional  
Early Electric Lamps



**B3954 OLD SILVER**

**B3964 DEEP BRONZE (SHOWN)**

28" w 10" h 6¾" p 2¼" tcd  
mm: 711 w 254 h 171 p 58 tcd

Backplate: 6" w 4¾" h 1" d  
mm: 153 w 121 h 25 d

4 - 60W cand base  
Shown with optional  
Early Electric Lamps



## GLASSWARE

Historic Pressed Clear

## METALWORK

Hand-worked Iron and Solid Brass

## FINISH

Deep Bronze

Old Silver

## OPTIONAL LAMP INFORMATION

LB-40-12 Twelve-pack 40W cand base Early Electric Lamps

LB-3W-12 Twelve-pack 3W med base Early Electric LED Lamps  
180 lm 2200K 120V

# MERCANTILE

## B3841

6" w 8½" h 5¾" p 3" tcd  
mm: 152 w 216 h 146 p 77 tcd

Backplate: 6" w 6" h 1¼" d  
mm: 153 w 153 h 29 d

1 - 50W G9 included



## B3842

13¾" w 8½" h 5¾" p 3" tcd  
mm: 349 w 216 h 146 p 77 tcd

Backplate: 6" w 6" h 1¼" d  
mm: 153 w 153 h 29 d

2 - 50W G9 included



## B3843

20" w 8½" h 5¾" p 3" tcd  
mm: 508 w 216 h 146 p 77 tcd

Backplate: 6" w 6" h 1¼" d  
mm: 153 w 153 h 29 d

3 - 50W G9 included



### GLASSWARE

Frosted Pressed Glass

### METALWORK

Hand-worked Wrought Iron

### FINISH

Vintage Bronze

## B3844

26¾" w 8½" h 5¾" p 3" tcd  
mm: 679 w 216 h 146 p 77 tcd

Backplate: 6" w 6" h 1¼" d  
mm: 153 w 153 h 29 d

4 - 50W G9 included



# VAULT

## B4231

4<sup>3</sup>/<sub>4</sub>" w 9<sup>1</sup>/<sub>4</sub>" h 4" p 7<sup>1</sup>/<sub>4</sub>" tcd ADA

mm: 121 w 235 h 102 p 184 tcd

Backplate: 4<sup>3</sup>/<sub>4</sub>" h 4<sup>3</sup>/<sub>4</sub>" w 1" d

mm: 121 h 121 w 25 d

1 - 60W cand base

Shown with optional

40W Early Electric Lamps



## B4232

11" w 9<sup>1</sup>/<sub>4</sub>" h 4" p 7<sup>1</sup>/<sub>4</sub>" tcd ADA

mm: 279 w 235 h 102 p 184 tcd

Backplate: 4<sup>3</sup>/<sub>4</sub>" h 4<sup>3</sup>/<sub>4</sub>" w 1" d

mm: 121 h 121 w 25 d

2 - 60W cand base

Shown with optional

40W Early Electric Lamps

## B4233

17" w 9<sup>1</sup>/<sub>4</sub>" h 4" p 7<sup>1</sup>/<sub>4</sub>" tcd ADA

mm: 432 w 235 h 102 p 184 tcd

Backplate: 4<sup>3</sup>/<sub>4</sub>" h 4<sup>3</sup>/<sub>4</sub>" w 1" d

mm: 121 h 121 w 25 d

3 - 60W cand base

Shown with optional

40W Early Electric Lamps



### GLASSWARE

Clear Pressed Glass,  
Frosted Inside

### METALWORK

Hand-crafted Iron

### FINISH

Aged Pewter

### OPTIONAL LAMP INFORMATION

LB-40-12 12-pack 40W cand base Early Electric Lamps

LB-3W-12 12-pack 3W med base Early Electric LED Lamps  
180 lm 2200K 120V

## B4234

23<sup>3</sup>/<sub>4</sub>" w 9<sup>1</sup>/<sub>4</sub>" h 4" p 7<sup>1</sup>/<sub>4</sub>" tcd ADA

mm: 603 w 235 h 102 p 184 tcd

Backplate: 4<sup>3</sup>/<sub>4</sub>" h 4<sup>3</sup>/<sub>4</sub>" w 1" d

mm: 121 h 121 w 25 d

4 - 60W cand base

Shown with optional

40W Early Electric Lamps


# EMBARCADERO

## B4151

5¼" w 8½" h 5½" p 6" tcd  
mm: 133 w 216 h 140 p 148 tcd

Backplate: 5" w 5" h 1" d  
mm: 127 w 127 h 25 d

1 - 60W cand base




## B4152

16" w 9" h 5½" p 6" tcd  
mm: 406 w 229 h 140 p 148 tcd

Backplate: 6" w 6" h 1¼" d  
mm: 153 w 153 h 29 d

2 - 60W cand base




## B4153

24" w 9" h 5½" p 6" tcd  
mm: 610 w 229 h 140 p 148 tcd

Backplate: 6" w 6" h 1¼" d  
mm: 153 w 153 h 29 d

3 - 60W cand base



## B4154

32" w 9" h 5½" p 6" tcd  
mm: 813 w 229 h 140 p 148 tcd

Backplate: 6" w 6" h 1¼" d  
mm: 153 w 153 h 29 d

4 - 60W cand base

### GLASSWARE

Pressed Ribbed Clear

### METALWORK

Hand-worked Wrought Iron

### FINISH

Shipyards Bronze with Antique Manila Rope



# BLINK




## B4141

6½" w 14" h 5¾" p 7" tcd  
mm: 165 w 356 h 146 p 178 tcd

Backplate: 5½" w ¾" d  
mm: 140 w 19 d

2 - 60W cand base




## B4143

30½" w 6½" h 5¾" p 3¼" tcd  
mm: 775 w 165 h 146 p 83 tcd

Backplate: 5½" w ¾" d  
mm: 140 w 19 d

4 - 60W cand base



## B4142

21¼" w 6½" h 5¾" p 3¼" tcd  
mm: 540 w 165 h 146 p 83 tcd

Backplate: 5½" w ¾" d  
mm: 140 w 19 d

2 - 60W cand base

### GLASSWARE

Matte Opal

### METALWORK

Hand-worked Wrought Iron

### FINISH

Light Cottage Bronze

# WHITMAN

## B4111

4½" w 10¼" h 5½" p 7" tcd  
mm: 114 w 260 h 140 p 178 tcd

Backplate: 4½" w ¾" d  
mm: 114 w 19 d

1 - 50W G9 included



## B4112

12" w 9" h 5½" p 6¼" tcd  
mm: 305 w 229 h 140 p 159 tcd

Backplate: 4½" w ¾" d  
mm: 114 w 19 d

2 - 50W G9 included



## B4113

20¼" w 9" h 5½" p 6¼" tcd  
mm: 514 w 229 h 140 p 159 tcd

Backplate: 4½" w ¾" d  
mm: 114 w 19 d

3 - 50W G9 included

### GLASSWARE

Linen Cream

### METALWORK

Hand-worked Wrought iron

### FINISH

Vienna Bronze



# ESCAPE

## B5701

4½" w 7¾" h 3½" p 5½" tcd  
mm: 114 w 194 h 89 p 137 tcd

Backplate: 4½" w 4½" h ½" d  
mm: 114 w 114 h 13 d

1 - 4W G9 LED included



## B5702

11½" w 7¾" h 3½" p 5½" tcd  
mm: 292 w 194 h 89 p 137 tcd

Backplate: 6¼" w 4½" h ½" d  
mm: 159 w 114 h 13 d

2 - 4W G9 LED included



## B5703

19½" w 7¾" h 3½" p 5½" tcd  
mm: 492 w 194 h 89 p 137 tcd

Backplate: 6¼" w 4½" h ½" d  
mm: 159 w 114 h 13 d

3 - 4W G9 LED included



### GLASSWARE

Gloss Opal

### METALWORK

Hand-worked Wrought Iron

### FINISH

Bronze with Gold Leaf Accent

### REPLACEMENT LAMP INFORMATION

BLB-3W-G9-50 Fifty-pack 3W G9 Base LED  
300lm 3000K 90CRI

BLB-4W-G9-50 Fifty-pack 4W G9 Base LED  
360lm 3000K 90CRI

## B5704

27" w 7¾" h 3½" p 5½" tcd  
mm: 686 w 194 h 89 p 137 tcd

Backplate: 6¼" w 4½" h ½" d  
mm: 159 w 114 h 13 d

4 - 4W G9 LED included

# ROXBURY

## B1401GR

5" w 11½" h 4" p 5¾" tcd ADA  
mm: 127 w 292 h 102 p 146 tcd

Backplate: 4½" w 1" d  
mm: 114 w 26 d

2 - 60W cand base



## B1401FR

5" w 11½" h 4" p 5¾" tcd ADA  
mm: 127 w 292 h 102 p 146 tcd

Backplate: 4½" w 1" d  
mm: 114 w 26 d

2 - 60W cand base

## B1404GR

26" w 5" h 4" p 2½" tcd ADA  
mm: 660 w 127 h 102 p 64 tcd

Backplate: 4½" w 1" d  
mm: 114 w 26 d

4 - 60W med base



## B1402GR

18" w 5" h 4" p 2½" tcd ADA  
mm: 457 w 127 h 102 p 64 tcd

Backplate: 4½" w 1" d  
mm: 114 w 26 d

2 - 60W med base



## B1402FR

18" w 5" h 4" p 2½" tcd ADA  
mm: 457 w 127 h 102 p 64 tcd

Backplate: 4½" w 1" d  
mm: 114 w 26 d

2 - 60W med base



## FINISH / GLASSWARE

GR Graphite w/ Matte Opal Glass

FR French Iron w/ Provence Glass

## METALWORK

Hand-worked Wrought Iron

## NOTE

Dimensions based on horizontal or vertical mounting orientation

## B1404FR

26" w 5" h 4" p 2½" tcd ADA  
mm: 660 w 127 h 102 p 64 tcd

Backplate: 4½" w 1" d  
mm: 114 w 26 d

4 - 60W med base





# BAMBOO

## B1841BB

5½" w 7¾" h 6¾" p 4" tcd  
mm: 140 w 197 h 171 p 102 tcd

Backplate: 4½" w 6¼ h ¾" d  
mm: 114 w 159 h 16 d

1 - 100W med base



## B1842BB

14½" w 7" h 6¾" p 3½" tcd  
mm: 368 w 178 h 171 p 89 tcd

Backplate: 5" w 5" h ¾" d  
mm: 127 w 127 h 16 d

2 - 100W med base



## B1843BB

22" w 7" h 6¾" p 3½" tcd  
mm: 559 w 178 h 171 p 89 tcd

Backplate: 5" w 5" h ¾" d  
mm: 127 w 127 h 16 d

3 - 100W med base



### GLASSWARE

Bamboo Glass

### METALWORK

Hand-worked Wrought Iron

### FINISH

Bamboo Bronze with Natural Slate

## B1844BB

29½" w 7" h 6¾" p 3½" tcd  
mm: 749 w 178 h 171 p 89 tcd

Backplate: 9¾" w 5" h ¾" d  
mm: 249 w 127 h 16 d

4 - 100W med base

# ARCADIA



## B1711FR

7½" w 8¾" h 6" p 4¾" tcd  
mm: 191 w 222 h 152 p 121 tcd

Backplate: 4¾" w 8" h ½" d  
mm: 121 w 203 h 13 d

1 - 60W cand base



## B1712FR

15" w 8¾" h 6" p 7" tcd  
mm: 381 w 222 h 152 p 178 tcd

Backplate: 8" w 4¾" h ½" d  
mm: 203 w 121 h 13 d

2 - 60W cand base

## B1713FR

22" w 8¾" h 6" p 7" tcd  
mm: 559 w 222 h 152 p 178 tcd

Backplate: 8" w 4¾" h ½" d  
mm: 203 w 121 h 13 d

3 - 60W cand base



## B1714FR

29½" w 8¾" h 6" p 7" tcd  
mm: 749 w 222 h 152 p 178 tcd

Backplate: 8" w 4¾" h ½" d  
mm: 203 w 121 h 13 d

4 - 60W cand base

### GLASSWARE

Clear outer / Ribbed Provence Inner

### METALWORK

Hand-worked Wrought Iron

### FINISH

French Iron

# LAMPS

## INCANDESCENT



**40W**  
LB-40  
1" OD x 3<sup>5</sup>/<sub>8</sub>" MOL  
mm: 25 x 92

40W 120V  
E12 cand base

**ORDER:**  
LB-40-12  
(12-pack)



**60W**  
LB-60  
2<sup>1</sup>/<sub>4</sub>" OD x 5<sup>1</sup>/<sub>2</sub>" MOL  
mm: 57 x 136

60W 120V  
E26 med base

**ORDER:**  
LB-60-6  
(6-pack)



**40W**  
LB-40-T10-5.5  
1<sup>1</sup>/<sub>4</sub>" OD x 5<sup>1</sup>/<sub>2</sub>" MOL  
mm: 32 x 140

40W 120V  
E26 med base

**ORDER:**  
LB-40-T10-12  
(12-pack)



**60W**  
LB-60-T10-5.5  
1<sup>1</sup>/<sub>4</sub>" OD x 5<sup>1</sup>/<sub>2</sub>" MOL  
mm: 32 x 140

60W 120V  
E26 med base

**ORDER:**  
LB-60-T10-12  
(12-pack)



**75W**  
LB-75-T10-9.5  
1<sup>1</sup>/<sub>4</sub>" OD x 9<sup>1</sup>/<sub>2</sub>" MOL  
mm: 32 x 242

75W 120V  
E26 med base

**ORDER:**  
LB-75-9.5-12  
(12-pack)



**40W**  
LB-40-FT  
1" x 3<sup>5</sup>/<sub>8</sub>" MOL  
mm: 25 x 92

40W 130V  
E12 cand base

**ORDER:**  
LB-40-FT-12  
(12-pack)

## LED



**3W**  
LB-3W-LED  
1" OD x 3<sup>5</sup>/<sub>8</sub>" MOL  
mm: 25 x 92

3W 120V LED  
2200K 180 LM  
E12 cand base

**ORDER:**  
LB-3W-12  
(12-pack)



**6W**  
LB-6W-LED  
2<sup>1</sup>/<sub>4</sub>" OD x 5<sup>1</sup>/<sub>2</sub>" MOL  
mm: 57 x 136

6W 120V LED  
2200K 400 LM  
E26 med base

**ORDER:**  
LB-6W-6  
(6-pack)



**6W**  
LB-6W-T10-5.5-LED  
1<sup>1</sup>/<sub>4</sub>" OD x 5<sup>1</sup>/<sub>2</sub>" MOL  
mm: 32 x 140

6W 120V LED  
2200K 400 LM  
E26 med base

**ORDER:**  
LB-6W-5.5-12  
(6-pack)



**7W**  
LB-7W-T10-9.5-LED  
1<sup>1</sup>/<sub>4</sub>" OD x 9<sup>1</sup>/<sub>2</sub>" MOL  
mm: 32 x 242

7W 120V LED  
2700K 500 LM  
E26 med base

**ORDER:**  
LB-7W-9.5-12  
(12-pack)



**3W**  
BLB-3W-G9  
3/4" OD x 2<sup>1</sup>/<sub>4</sub>" MOD  
mm: 19 x 54

3W 120V LED  
3000K 300 LM 90CRI  
G9 Base

**ORDER:**  
BLB-3W-G9-50  
(50-pack)



**4W**  
BLB-4W-G9  
3/4" OD x 2<sup>1</sup>/<sub>4</sub>" MOD  
mm: 19 x 54

4W 120V LED  
3000K 360 LM 90CRI  
G9 Base

**ORDER:**  
BLB-4W-G9-50  
(50-pack)

The wattage listed for each fixture is the maximum safe capacity. Government standards restrict the availability of traditional incandescent lamps. Decorative incandescent lamps will continue to be available, as well as medium-base halogen lamps, LEDs, and CFLs as energy-efficient alternatives.

ALL FIXTURES IN  
THIS CATALOG ARE





# INDEX

4742	355	4907	218	5514	8	5702	387	5911	149	6081	35
4743	356	5213	54	5521	49	5703	387	5915	147	6085	37
4744	356	5214	54	5523	50	5704	387	5916	149	6086	35
4745	355	5215	52	5524	49	5801	376	5918	148	6090	297
4746	354	5216	53	5525	48	5802	376	5920	363	6096	297
4751	234	5224	141	5526	50	5803	376	5921	363	6097	296
4753	233	5225	141	5531	49	5804	376	5930	363	6098	295
4754	234	5234	75	5533	50	5811	376	5931	363	6100	263
4755	233	5235	76	5534	49	5812	376	5940	250	6101	262
4756	232	5236	76	5535	48	5813	376	5942	249	6104	263
4760	183	5237	75	5536	50	5814	376	5944	249	6106	262
4762	183	5243	102	5541	73	5821	375	5946	250	6107	264
4764	182	5245	102	5542	73	5822	375	5948	248	6108	261
4765	183	5253	54	5561	120	5823	375	5951	308	6111	259
4766	182	5254	54	5562	120	5824	375	5953	307	6112	259
4802	57	5255	52	5571	120	5831	375	5954	308	6116	259
4801	56	5256	53	5572	120	5832	375	5956	307	6117	258
4803	57	5263	206	5581	120	5833	375	5958	306	6118	257
4804	56	5264	206	5582	120	5834	375	5991	79	6125	199
4822	64	5265	205	5591	46	5842	68	5992	80	6126	199
4824	65	5271	40	5594	46	5844	68	5993	80	6131	373
4825	65	5276	40	5596	44	5848	67	5995	81	6141	13
4826	64	5277	41	5598	43	5851	126	5996	80	6143	13
4827	63	5278	39	5599	45	5852	126	5998	79	6146	13
4832	330	5291	366	5601	61	5853	124	6001	380	6148	12
4835	330	5301	28	5602	61	5861	87	6002	380	6151	144
4836	329	5303	30	5611	84	5865	87	6003	380	6152	145
4837	331	5304	30	5614	84	5866	86	6004	380	6153	144
4840	210	5306	29	5616	83	5871	378	6012	94	6154	145
4842	208	5307	28	5631	104	5872	378	6015	94	6155	143
4844	209	5321	15	5634	104	5873	378	6016	93	8920	309
4846	209	5325	16	5636	103	5881	100	6021	96	8921	310
4847	208	5326	16	5641	32	5881	379	6023	96	8922	310
4848	210	5327	15	5644	33	5882	379	6024	95	8923	309
4852	223	5331	244	5646	33	5883	379	6042	60	9992	321
4855	222	5335	245	5648	32	5884	379	6045	60	9992DB	322
4856	222	5336	245	5651	362	5885	100	6046	59	9994	323
4857	221	5337	244	5652	362	5886	100	6052	179	9998	321
4858	223	5342	315	5661	362	5888	99	6053	179	9998GSL	322
4862	71	5344	315	5662	362	5890	282	6055	179	LAMPS	391
4863	72	5346	314	5671	362	5892	283	6056	178	LB-40	
4864	72	5361	351	5672	362	5894	282	6057	177	LB-60	
4865	71	5365	352	5681	377	5896	283	6058	180	LB-40-T10-5.5	
4866	70	5366	352	5682	377	5898	281	6070	4	LB-60-T10-5.5	
4891	109	5367	351	5683	377	5900	22	6072	5	LB-75-T10-9.5	
4895	110	5421	170	5684	377	5902	20	6073	5	LB-40-FT	
4896	110	5422	171	5691	377	5904	21	6074	5	LB-3W-LED	
4897	109	5424	171	5692	377	5905	22	6075	6	LB-6W-LED	
4904	218	5427	170	5693	377	5906	21	6076	4	LB-6W-T10-5.5-LED	
4905	219	5511	10	5694	377	5907	20	6077	3	LB-7W-T10-9.5-LED	
4906	219	5513	9	5701	387	5908	19	6080	37	BLB-3W-G9	
										BLB-4W-G9	

# INDEX

1280	304	2565	333	3103	197	3655	151	3971	177	4251	56
1283	305	2621	373	3104	196	3661	89	3971	381	4252	57
1284	303	2711	255	3105	195	3662	90	4060	238	4253	57
1285	304	2715	255	3121	216	3664	91	4062	237	4254	56
1287	305	2716	254	3122	215	3666	91	4063	238	4291	26
1288	302	2717	253	3125	215	3668	90	4066	237	4293	27
1289	303	2718	252	3126	216	3669	89	4068	236	4294	25
1350	121	2732	114	3127	212	3671	277	4101	299	4295	26
1351	121	2734	114	3128	213	3672	278	4102	300	4296	26
1352	122	2735	113	3131	177	3675	278	4104	300	4297	25
1357	122	2736	113	3131	373	3676	277	4106	300	4298	24
1358	121	2737	112	3132	179	3678	276	4108	299	4299	27
1401	388	2771	164	3133	179	3800	359	4111	386	4310	341
1402	388	2772	165	3135	179	3801	358	4112	386	4312	341
1404	388	2773	164	3136	178	3802	360	4113	386	4315	340
1710	311	2774	165	3137	177	3803	361	4120	365	4316	341
1711	390	2776	163	3138	180	3804	361	4121	365	4317	340
1712	390	2821	374	3141	229	3805	360	4122	365	4319	339
1713	390	2822	374	3142	228	3806	360	4131	106	4351	192
1714	390	2841	273	3144	230	3807	359	4135	107	4352	193
1716	312	2870	268	3145	230	3809	358	4136	107	4357	192
1719	312	2872	266	3146	229	3810	156	4138	106	4358	192
1841	389	2874	268	3147	228	3811	158	4141	385	4359	193
1842	389	2875	268	3172	371	3812	155	4142	385	4421	168
1843	389	2876	266	3182	371	3813	157	4143	385	4425	168
1844	389	2878	267	3441	288	3815	155	4151	242	4426	167
1845	326	2880	271	3442	288	3816	154	4151	384	4460	202
1846	326	2881	272	3443	288	3817	157	4152	384	4462	202
1847	326	2882	272	3445	286	3818	156	4153	384	4463	203
1848	325	2883	272	3446	287	3819	158	4154	384	4464	202
2462	367	2884	271	3447	285	3831	174	4155	242	4465	201
2481	369	2885	270	3462	372	3832	175	4156	242	4466	203
2482	369	2892	274	3471	366	3833	175	4157	240	4700	137
2483	369	2894	274	3472	366	3834	174	4158	241	4701	138
2491	118	2895	273	3511	344	3838	173	4181	290	4703	136
2492	119	2901	368	3512	345	3841	382	4184	292	4705	138
2493	119	2902	368	3515	345	3842	382	4185	291	4706	138
2494	118	2903	368	3516	344	3843	382	4186	290	4707	137
2495	116	2912	372	3517	343	3844	382	4187	291	4708	136
2496	117	2941	191	3532	349	3890	160	4188	292	4720	129
2501	319	2942	191	3535	349	3890	364	4231	383	4721	128
2503	319	2946	189	3536	348	3891	161	4232	383	4723	130
2504	317	2947	189	3537	347	3891	364	4233	383	4724	130
2506	318	2948	190	3545	140	3897	161	4234	383	4725	129
2511	225	2995	338	3546	140	3898	160	4241	186	4726	128
2514	226	2996	338	3621	246	3952	381	4242	185	4730	133
2516	226	2997	337	3622	246	3953	381	4243	187	4731	132
2518	225	2998	336	3623	246	3954	381	4244	187	4733	134
2522	370	3100	197	3651	151	3962	381	4246	187	4734	134
2563	334	3101	197	3653	152	3963	381	4247	186	4735	133
2564	334	3102	196	3654	152	3964	381	4248	185	4736	132

TROY LIGHTING  
LIGHTING TROY  
LIGHTING TROY  
TROY LIGHTING

TROY LIGHTING  
A DIVISION OF TROY - CSL LIGHTING, INC.  
14508 NELSON AVENUE  
CITY OF INDUSTRY, CA 91744

WWW.TROY-LIGHTING.COM  
T: 626.336.4511 F: 626.330.4266

COPYRIGHT © 2017 TROY-CSL LIGHTING, INC.

C-TINTE1-17



782042027411